



NEW MEXICO ENERGY, MINERALS
& NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE
AZTEC NM 87410
(505) 334-6178 FAX: (505) 334-6170
[http://nemrds.state.nm.us/ocd/District III/district.htm](http://nemrds.state.nm.us/ocd/District%20III/district.htm)

GARY E. JOHNSON
GOVERNOR

Jennifer A. Salisbury
CABINET SECRETARY

February 10, 1998

Ms Peggy Bradfield
Burlington Resources O&G Co
PO Box 4289
Farmington NM 87499

Re: San Juan 28 6 Unit #134M, E-05-27N-06W, API# 30-039-25751, DHC

Dear Ms. Bradfield:

Your recommended allocation of commingled production for the referenced well is hereby accepted as follows:



	Gas	Oil
Blanco Mesaverde	41%	7%
Basin Dakota	59%	93%

Yours truly,

Ernie Busch
District Geologist/Deputy O&G Inspector

EB/sh

cc: Duane Spencer-BLM Farmington
well file



286134M-Jhc

BURLINGTON RESOURCES

SAN JUAN DIVISION

RECEIVED
JAN 27 1998

OIL CON. DIV.
DIST. 3

January 24, 1998

New Mexico Oil Conservation Division
1000 Rio Brazos Road
Aztec, NM 87410

Re: San Juan 28-6 Unit #134M
2550'FNL, 480'FWL Section 5, T-27-N, R-06-W, Rio Arriba County, NM
API #30-039-25751

Gentlemen:

The above referenced well is a Mesa Verde/Dakota commingle. Order DHC-1708 was issued for the commingling. The following allocation formula is submitted for your approval:

Mesa Verde -	41 % gas	7 % oil
Dakota -	59 % gas	93 % oil

These percentages are based on isolated flow tests from the Mesa Verde and Dakota during completion operations.

Please let me know if you have any questions.

Sincerely,



Peggy Bradfield
Regulatory/Compliance Administrator

xc: Bureau of Land Management
NMOCD - Santa Fe



PRODUCTION ALLOCATION FORMULA USING FLOW TEST INFORMATION

San Juan 28-6 Unit #134M
(Mesaverde/Dakota)Commingle
Unit E, 05-T27N-R06W
Rio Arriba County, New Mexico

Allocation Formula Method:

3 Hour Flow Test from Mesaverde = 989 MCFD & 0.1 BO

3 Hour Flow Test from Dakota = 1413 MCFD & 1.3 BO

GAS:

(MV) 989 MCFD	= (MV) %	Mesaverde 41%
(MV & DK) 2402 MCFD		

(DK) 1413 MCFD	= (DK) %	Dakota 59%
(MV & DK) 2402 MCFD		

OIL:

(MV) 0.1 BO	= (MV) %	Mesaverde 7%
(MV & DK) 1.4 BO		

(DK) 1.3 BO	= (DK) %	Dakota 93%
(MV & DK) 1.4 BO		

