DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
811 South First St., Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410
DISTRICT IV
2040 S. Pacheco, Santa Fe, NM 87505

**BURLINGTON RESOURCES OIL & GAS COMPANY** 

# State of New Mexico Energy, Minerals and Natural Resources Department

# **OIL CONSERVATION DIVISION**

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Form C-107-A Revised August 1999 APPROVAL PROCESS: \_ Administrative \_\_\_Hearing

## APPLICATION FOR DOWNHOLE COMMINGLING

PO BOX 4289, FARMINGTON, NM 87499

EXISTING WELLBORE \_\_\_ YES \_\_X\_ NO

Operator	Addre	SS			
SAN JUAN 27-5 UNIT	57M G 13-	-27N-05W	RIO ARRIBA		
Lease	Well No. Unit Ltr	Sec - Twp - Rge	County		
OGRID NO14538 Property	Code 7454 API NO. :	30-039-XXXXX Fede	oing Unit Lease Types: (check 1 or more)		
			подраждения при		
The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone		
Pool Name and     Pool Code	BLANCO MESAVERDE – 72319		BASIN DAKOTA - 71599		
Top and Bottom of Pay Section (Perforations)	WILL BE SUPPLIED UPON COMPLETION		WILL BE SUPPLIED UPON COMPLETION		
3. Type of production (Oil or Gas)	GAS		GAS		
Method of Production     (Flowing or Artificial Lift)	FLOWING	OFC 1 7 1999	FLOWING		
5. Bottomhole Pressure	a. (Current)	office the	a. (Current)		
Oil Zones - Artificial Lift: Estimated Current	705 psi (see attachment)	CONO DIVO	1186 psi (see attachment)		
Gas & Oil - Flowing: Measured Current All Gas Zones:	b. (Oriiginal)	1000	b. (Oriiginal)		
Estimated Or Measured Original	1355 psi (see attachment)	a e	2863 psi (see attachment)		
6. Oil Gravity (EAPI) or Gas BTU Content	BTU 1191		BTU 1140		
7. Producing or Shut-In?	SHUT-IN		SHUT-IN		
	NO		YES		
Production Marginal? (yes or no)					
If Shut-In, give date and oil/gas/ water rates of last production	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:		
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data					
If Producing, give date andoil/gas/ water rates of recent test	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:		
(within 60 days)					
Fixed Percentage Allocation     Formula -% for each zone     (total of %'s to equal 100%)	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION		
If allocation formula is based a submit attachments with support	upon something other than currecting data and/or explaining m	rent or past production, or is ba ethod and providing rate projec	ased upon some other method, tions or other required data.		
10. Are all working, overriding, and royalty interests identical in all commingled zones?  If not, have all working, overriding, and royalty interests been notified by certified mail?  Yes X No Yes X No					
11. Will cross-flow occur?X_Yes NoIf yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliableX_Yes No (If No, attach explanation)					
12. Are all produced fluids from all commingled zones compatible with each other?X_ Yes No					
13. Will the value of production be decreased by commingling? YesX No (If Yes, attach explanation)					
14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this applicationX_Yes No					
15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). R-10694					
* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.  * Production curve for each zone for at least one year. (If not available, attach explanation.)  * For zones with no production history, estimated production rates and supporting data.  * Data to support allocation method or formula.  * Notification list of working, overriding, and royalty interests for uncommon interest cases.  * Any additional statements, data, or documents required to support commingling.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATURE Sean of	origan TITLE	PRODUCTION ENGINEER	DATE: 12/10/99		
TYPE OR PRINT NAME SEAN E. CORRIGAN TELEPHONE NO. 505-326-9700					

DISTRICT I P.O. Box 1980. Hobbs, N.M. 88241-1980

DISTRICT II P.O. Drawer DD. Artesia, N.M. 88211-0719

DISTRICT III

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised February 21, 1994 Instructions on back

Submit to Appropriate District Office

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, NM 87504-2088

State Lease - 4 Copies Fee Lease - 3 Copies


1000 Rio Brazos Rd., Aztec, N.M. 87410 DISTRICT IV PO Box 2088, Santa Fe, NM 87504-2088

☐ AMENDED REPORT


#### WELL LOCATION AND ACREAGE DEDICATION PLAT <sup>3</sup> Pool Name 72319/71599 API Number Blanco Mesaverde/Basin Dakota 30-039-Well Number Property Name <sup>4</sup> Property Code # 57M SAN JUAN 27-5 UNIT -7454 OGRID No. \*Operator Name \* Elevation 14538 684**6**° BURLINGTON RESOURCES OIL & GAS COMPANY 10 Surface Location Feet from the North/South line Feet from the East/West line County Lot ldn Range Ul. or lot no. Section Township RIO ARRIBA 1570 1660 **EAST** NORTH G 13 27-N 5-W 11 Bottom Hole Location If Different From Surface Feet from the North/South line Feet from the East/West line County Lot ldn UL or lot no. Section Township Range 14 Consolidation Code 15 Order No. Joint or Infill Dedicated Acres MV: E/320 DK: N/320 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION N 84-59-12 W 2660.47 (MEAS.) OPERATOR CERTIFICATION FD 1957 FD. 1957-BLM BRASS BLM BRASS CAP I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief CAP 1650 Signature Peggy Cole SF-079492-A Printed Name 0 Regulatory Administrator Title Date FD. 1957 BLM BRASS CAP 13 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me DEC 1 1 1009 or under my supervision, and that the same is true and RO FOA! PU correct to the best Date of Sur 8894 Certificate Num

San Juan 27-5 Unit #57M
Expected Production
Mesaverde Formation



San Juan 27-5 Unit #57M
Expected Production
Dakota Formation



### San Juan 27-5 Unit #83M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverd <b>e</b>	Dakota		
MV-Current	<u>DK-Current</u>		
GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.09 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  705.3	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 1.44 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  1186.0		
MV-Original	<u>DK-Original</u>		
GAS GRAVITY COND. OR MISC. (C/M)  %N2  %CO2  %H2S  DIAMETER (IN)  DEPTH (FT)  SURFACE TEMPERATURE (DEG F)  BOTTOMHOLE TEMPERATURE (DEG F)  FLOWRATE (MCFPD)  SURFACE PRESSURE (PSIA)  0.687  C 0.13  0.13  0.13  0.51  0.603  1.09  6031  5031	GAS GRAVITY COND. OR MISC. (C/M)  %N2 0.18 %CO2 1.44 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)  BOTTOMHOLE PRESSURE (PSIA)  2863.0		

Page No.: 2

Print Time: Wed Dec 01 14:38:39 1999

Property ID: 1527
Property Name: SAN JUAN 27-5 UNIT | 91 | 50668A
Table Name: R:\RESERVES\GDPNOS\TEST.DBF

	CUM_GAS		
10/30/62	0	1143.0	San Juan 27-5 Unit #57M
10/07/70	132197	487.0	Manayarda Offact
07/22/71	141696	496.0	Mesaverde Offset
06/06/72	152383	418.0	
12/06/83	255853	609.0	
04/18/86	272283	602.0	
08/30/91	298546	604.0	


Page No.: 1

Print Time: Wed Dec 01 14:38:39 1999

Property ID: 1474
Property Name: SAN JUAN 27-5 UNIT | 57 | 51539A
Table Name: R:\RESERVES\GDPNOS\TEST.DBF

DATE	CUM_GAS		
07/12/65	0	2325.0	San Juan 27-5 Unit #57M
07/19/65	0	2409.0	<del></del>
10/28/66	170000	1684.0	Dakota Offset
08/04/67	304000	1771.0	
09/23/68	491000	1384.0	
06/30/69	6090 <b>00</b>	1167.0	
10/07/70	784227	1119.0	
07/22/71	876658	997.0	
06/06/72	980503	1030.0	
07/19/73	1076625	1031.0	
05/22/75	1234828	972.0	
07/06/77	1412044	884.0	
05/01/79	1534716	890.0	
05/21/81	1656241	879.0	
09/13/83	1741762	1042.0	
05/20/85	1796103	1005.0	
07/12/88	1893298	1357.0	
06/08/90	1977113	1051.0	
08/31/92	2042387	977.0	

# San Juan 27-5 Unit #57M Mesaverde / Dakota 27N – 5W – 13



# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN-JUAN COUNTY, NEW MEXICO.

PIO ARRIBA

### ORDER OF THE DIVISION

### BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

### **EINDS THAT:**

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Messaverde, Fruitland Coal and Plentred Cliffs gas production within existing or funire drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If surficient data exists on a lease, pool, formation, geographic area, em., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one immired and one (101) Basin-Dakota Gas Pool weils, one immired and five (105) Blanco-Messaverde Gas Pool weils, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacino-Pictured Cliffs Gas Pool weils, and four (4) Basin-Fruitland Coal Gas Pool weils.
  - (6) According to its evidence and testimony, Burlington seeks to:
  - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
  - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Units and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingting of existing or future drilled wells within the San Juan 27-5 Unix without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Unit:
  - a) the structure and thickness of the Dakotz and Pictured Cliffs formations are very consistent:
  - b) the average recoverable Dakota and Picmred Cliffs gas reserves underlying an undeveloped drill block are approximately 533 MMCFG and 426 MMCFG, respectively;
  - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
  - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
  - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
  - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bonominole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current shut-in bottominole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 psi and 441 psi. respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant restricted that various allocation methods will be unliked for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
  - the subtraction method will likely be utilized in those instances involving the Basin-Fruitiand Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone:
  - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
  - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
  - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
    - the interest ownership between two zones within a given wellbore in the San Juan 27-5 Unit is generally not common:
    - b) pursuant to Division Rule No. 103.D.. applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5
  Unit of subsequent downnoise communitings is unnecessary and is
  an excessive burden on the applicant:
- d) the downhole commingting of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingting of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downnote communicing approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

# IT IS THEREFORE ORDERED THAT:

(1) The application of Buriington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold commingling of Dakota. Mesaverie. Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico. is hereby approved.

- Upon filing of Division Form No. C-107-A's for weils subsequently (2) downhole commungled within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginai", supporting data to verify the Pictures Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- In order to obtain Division authorization to downhole communie weils within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Azrec Offices of the Division. Such application shall comman all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 27-5 Unit of such proposed commingling.
- Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Sama Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION