DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
DISTRICT II
811 South First St., Artesia, NM 88210
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410
DISTRICT IV
2040 S. Pacheco, Santa Fe, NM 87505

BURLINGTON RESOURCES OIL & GAS COMPANY

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429 Form C-107-A Revised August 1999 APPROVAL PROCESS:

_ Administrative ___Hearing

__ Administrative ___Hearing ___ EXISTING WELLBORE

APPLICATION FOR DOWNHOLE COMMINGLING

PO BOX 4289, FARMINGTON, NM 87499

___ YES __X_ NO

Operator	Addre	ess	
SAN JUAN 27-5 UNIT		27N-05W	RIO ARRIBA
Lease	Well No. Unit Lts	r Sec - Twp - Rge 26295 Spa	County ucing Unit Lease Types: (check 1 or more)
OGRID NO14538 Property	Code7454 API NO		eralX, State, (and/or) Fee
The following facts are submitted in support of downhole commingling: 1. Pool Name and Pool Code	Upper Zone BLANCO MESAVERDE – 72319	Intermediate Zone	Lower Zone BASIN DAKOTA - 71599
Top and Bottom of Pay Section (Perforations)	WILL BE SUPPLIED UPON COMPLETION		WILL BE SUPPLIED UPON COMPLETION
Type of production (Oil or Gas)	GAS		GAS
Method of Production (Flowing or Artificial Lift)	FLOWING	DEL 1 1 JOJUNO	FLOWING
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated Or Measured Original	a. (Current) 488 psi (see attachment) b. (Oriiginal)	OLIT COLUMNO SILVIO	a. (Current) 869 psi (see attachment) b. (Oriiginal)
6. Oil Gravity (EAPI) or	1061 psi (see attachment) BTU 1189		3177 psi (see attachment) BTU 1179
Gas BTÜ Content 7. Producing or Shut-In?	SHUT-IN		SHUT-IN
	NO		YES
Production Marginal? (yes or no) * If Shut-In, give date and oil/gas/water rates of last production	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data * If Producing, give date andoil/gas/ water rates of recent test (within 60 days)	Date: N/A Rates:	Date: N/A Rates:	Date: N/A Rates:
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION	Oil: Gas: % WILL BE SUPPLIED UPON COMPLETION
 If allocation formula is based usubmit attachments with support of the submit attachments with support of the sup			
•	ed, and will the allocation formu	ıla be reliableX_ Yes N	not be damaged, will any cross- No (If No, attach explanation)
12. Are all produced fluids from all			S No
13. Will the value of production be	, – –	YesX No (If Yes,	, ,
14. If this well is on, or communitize United States Bureau of Land I	Management has been notified	in writing of this application	X_Yes No
15. NMOCD Reference Cases for Ru	ule 303(D) Exceptions: O	RDER NO(S). R-10694	
* Production curve for * For zones with no poly * Data to support allo	reach zone for at least one year roduction history, estimated pro cation method or formula.	spacing unit and acreage dedicant. (If not available, attach expland acreage dedicant are specified as a create and supporting definition and support common interest a support commingling.	anation.) ata.
hereby certify that the information	n above is true and complete to	the best of my knowledge and	belief.
SIGNATURE Sean J.	lorijan TITLE	PRODUCTION ENGINEER	DATE: 12/10/99
YPE OR PRINT NAME SEAN E. (CORRIGAN TELEP	PHONE NO. 505-326-9700	

DISTRICT 1 P.O. Box 1980, Hobbs, N.M. 88241-1980

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised February 21, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, N.M. 88211-0719

DISTRICT III

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, NM 87504-2088

☐ AMENDED REPORT

DISTRICT IV PO Box 2088, Santa Fe, NM 87504-2088

1000 Rio Brazos Rd., Aztec, N.M. 87410


WELL LOCATION AND ACREAGE DEDICATION PLAT

30-039-	Number			*Pool Code 19/715	99	Blanco Mes	Pool Nama	sin Dakot	a
Property Co	ede		Property Name SAN JUAN 27-5 UNIT *Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY				1	ell Number # 170M	
TOGRID No.	<u>-</u>						-	*Elevation 6571*	
				·	10 Surface	Location			
UL or lot no.	Section 34	Township 27-N	Range 5-W	Lot ldn	Feet from the	North/South line SOUTH	Feet from the 970	East/West line EAST	County RIO ARRIBA
			11 Bott	om Hole	Location I	f Different Fr	om Surface		<u> </u>
UL or lot no.	Section	Township	Renge	Lot ldn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acre MV - E/	320	¹³ Joi	nt or Infi	1	¹⁴ Consolidation (Code	¹⁵ Order No.	L	


NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

		DARD UNIT HAS BE	SELL THE DE	THE DIVISION
16				17 OPERATOR CERTIFICATION 1 hereby certify that the information contained herein is true and complete to the best of my knowledge and belief
		DECE	1 1909 1 1909 1 1909 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
-		OUT C	1 1883 1 1883	Signature Peggy Cole Printed Name
	34		FD. 1957 BLM BRASS CAP	Printed Name Regulatory Administrator Title Date
		NMSF-0793 94	2,718.78' (WEAS.)	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best
		FD. 1957 BLM BRASS CAP	970' 17 25 00 01 FD. 1957 BLM BRASS CAP	Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Problegges Surveyor: Signature and Sell of Sell

San Juan 27-5 Unit #170M Expected Production Curve Mesaverde Formation



San Juan 27-5 Unit #170M Expected Production Curve Dakota Formation



San Juan 27-5 Unit #170M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverd e	Dakota Dakota
MV-Current	<u>DK-Current</u>
GAS GRAVITY 0.679 COND. OR MISC. (C/M) C %N2 0.48 %CO2 0.44 %H2S 0 DIAMETER (IN) 2.376 DEPTH (FT) 5690 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 137 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 424 BOTTOMHOLE PRESSURE (PSIA) 487.6	GAS GRAVITY COND. OR MISC. (C/M) %N2 0.19 %CO2 1.03 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) 869.1
MV-Original	DK-Original
GAS GRAVITY COND. OR MISC. (C/M) %N2 0.48 %CO2 0.44 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 0.679 0.44 2.375 60 80 80 80 911	GAS GRAVITY COND. OR MISC. (C/M) %N2 0.19 %CO2 1.03 %H2S 0 DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 3177.4

Page No.: 2

Print Time: Thu Dec 02 06:52:07 1999

Property ID: 1473
Property Name: SAN JUAN 27-5 UNIT | 56A | 53390B
Table Name: R:\RESERVES\GDPNOS\TEST.DBF

DATE	CUM_GAS	M SIWHP	
01/01/80	0	0.0	San Juan 27-5 Unit #170M
06/01/80 09/30/81	0 35180	911.0 617.0	Mesaverde Offset
06/14/82	99796	548.0	
09/22/83	156682	492.0	
04/06/85	210150	624.0	
01/06/87	255282	480.0	
09/08/89	366297	610.0	
04/15/91	401187	526.0	
05/06/91	401187	538.0	
06/01/93	464016	424.0	


Page No.: 1

Print Time: Thu Dec 02 06:52:06 1999

Property ID: 1369
Property Name: SAN JUAN 27-5 UNIT | 143 | 44057A
Table Name: R:\RESERVES\GDPNOS\TEST.DBF

		CUM_GAS	DATE
San Juan 27-5 Unit #170	2588.0	0	05/05/72
5 1 1 0" 1	1908.0	28816	07/07/72
Dakota Offset	1366.0	112988	05/09/73
	958.0	219321	07/15/74
	897.0	279625	06/24/75
		400577	08/08/77
	834.0	486643	05/02/79
	754.0	562430	06/04/81
	847.0	576290	11/03/81
	911.0	645599	09/22/83
	821.0	712410	06/06/85
	92 7.0	816691	10/11/88
	794.0	875761	04/22/90
	722.0	940287	07/29/92

San Juan 27-5 Unit #170M 27N – 5W – 34 Mesaverde / Dakota



STATE OF NEW MEXICO ENERGY. MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY, NEW MEXICO.

TIO ARRIBA

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

EINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole comminging "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit, San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently

"If sufficient data exists on a lease, pool, formation, geographic area, em., so as to remer it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North. Range 5 West. NMPM. San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unit, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitland Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereny these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal":
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unitizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Units and.
- d) establish a "reference case" or an administrative procedure for authorizing the downhole communiting of existing or future drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Units
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively;
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
 - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
 - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- the average shut-in bottominoic pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current sint-in bottominole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 psi and 441 psi. respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be unitized for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - the subtraction method will likely be utilized in those instances involving the Hasin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone:
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
 - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
 - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
 - the interest ownership between two zones within a given weilbore in the San Juan 27-5 Unit is generally not common:
 - b) pursuant to Division Rule No. 103.D. applicant is currently required to notify all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5
 Unit of subsequent downnoise communitings is unnecessary and is
 an excessive burden on the applicant:
- d) the downhole commingting of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole comminging of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for porice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are compiled with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downnote communiting approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Euritington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold commingling of Dakota. Mesaverde. Fruitiand Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico. is hereby approved.

- (2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole communised within the San Juan 27-5 Unix Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Azec Offices of the Division. Such application shall comain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all Interest owners within the San Juan 27-5 Unit of such proposed commingling.
- (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Sama Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

MILLIAM IX ITMAY

Director