

Submit 3 Copies
to Appropriate
District Office

District I
P.O. Box 1980, Hobbs, NM 88241-1980

District II
811 South First, Artesia, NM 87410

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-105
Revised 1-1-89

MAY 2001

WELL API NO.

30-039-26566

Indicate Type of Lease

STATE ☒ FEE ☐

State Oil & Gas Lease No.

Lease Name or Unit Agreement Name

RINCON UNIT

Well No.

156M

Pool name or Wildcat

BASIN DAKOTA

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1 Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

1 Type of Well:

NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐

2 Name of Operator

PURE RESOURCES L.P.

3 Address of Operator

P.O. BOX 850 - BLOOMFIELD, NM 87413

4 Well Location

Unit Letter **I** : **1956'** Feet From The **South** Line and **845'** Feet From The **East** Line
Section **16** Township **27N** Range **06W** NMPM **Rio Arriba** County

10 Date Spudded

3/16/01

11 Date T.D. Reached

3/26/01

12 Date Compl. (Ready to Prod.)

4/21/01

13 Elevation (DF & RKB, RT, GR, etc.)

6490' GR

14 Elev. Casinghead

15 Total Depth

7647'

16 Plug Back T.D.

7630'

17 If Multiple Compl. How Many Zones?

1

18 Intervals Drilled By

0' - 7647'

Rotary Tools

Cable Tools

19 Producing Interval(s), of this completion - Top, Bottom, Name

BASIN DAKOTA 7389' - 7600'

20 Was Directional Survey Made

NO

21 Type Electrical and Other Logs Run

CNL, GR & CCL

22 Was Well Cored

NO

CASING RECORD (Report all strings set in well)

CASING	WEIGHT LB. FT.	DEPTH SET	HOLE SIZE	CEMENT RECORD	AMOUNT PULLED
9 5/8"	36#STC	354'	12 1/4"	250sx Type 111 cmt	
7"	20# STC	2666'	8 3/4"	360 sx "F" Prem High cmt	
4 1/2"	11.6# LTC	7644'	6 1/4"	608 sx "F" Prem High cmt	

24 LINER RECORD

SIZE	TOP	BOTTOM	SACK CEMENT	SCREEN	25 TUBING RECORD
					SIZE DEPTH SET PACKER SET
					no tubing in well bore as per Frank Chavez approval

26 Perforation record (interval, size, and number)

7389', 7409', 7420', 7428', 7500', 7504', 7508', 7512', 7516'
7520', 7542', 7546', 7558', 7564', 7566', 7568', 7570', 7572'
7576', 7578', 7584', 7596', 7598', 7600'
w/1 jspf

27 ACID, SHOT, FRACTURED, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
7389'-7600'	70-65%DHMQM2 FOAM, 110,680#S
	WHITE SAND 20/40, 7200#S / FLEXSAND 14.49

PRODUCTION

28 Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. Or Shut-in)	
a.s.a.p.		Flowing				SI	
Date of Test	Hours Tested	Choke Size	Prod's For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
4/23/01	6 hrs	24/64		0	474 mcf	.5 bbls	na
Flow Tubing Press.	Casing Pressure	Calculated 24 - Hours Rate	Oil - Bbl.	Gas - MCF	Water Bbl.	Oil Gravity - API - (Corr.)	
450 psi	450 psi		0	1.9 mmfd	2 bbls		

29 Disposition of Gas (Sold, used for fuel, vented, etc.)

vented

Test Witnessed By

Leo Daniels

30 List Attachments

31 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Mike Phillips Printed Name Mike Phillips Title San Juan Basin Foreman Date 4/23/01

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	_____	T. Canyon	_____
T. Salt	_____	T. Strawn	_____
B. Salt	_____	T. Atoka	_____
T. Yates	_____	T. Miss	_____
T. Rivers	_____	T. Devonian	_____
T. Queen	_____	T. Silurian	_____
T. Grayburg	_____	T. Montoya	_____
T. San Andres	_____	T. Simpson	_____
T. Glorieta	_____	T. McKee	_____
T. Paddock	_____	T. Ellenburger	_____
T. Blinbry	_____	T. Gr. Wash	_____
T. Tubb	_____	T. Delaware Sand	_____
T. Drinkard	_____	T. Bone Sprints	_____
T. Abo	_____	T. _____	_____
T. Wolfcamp	_____	T. _____	_____
T. Penn	_____	T. _____	_____
T. Cisco (Bough C)	_____	T. _____	_____

Northwestern New Mexico

T. Ojo Alamo	2262'	T. Penn. "B"	
T. Kirtland-Fruitland	2612'	T. Penn. "C"	
T. Pictured Cliffs	3147'	T. Penn. "D"	
T. Cliff House	4837'	T. Leadville	
T. Menefee		T. Madison	
T. Point Lookout	5332'	T. Elbert	
T. Mancos	5777'	T. McCracken	
T. Gallup	6902'	T. Ignacio Otzte	
Basin Greenhorn		T. Granite	
T. Dakota	7482'	T. Dakota "F" 7632'	
T. Morrison		T.	
T. Todilto		T.	
T. Entrada		T.	
T. Wingate		T.	
T. Chinle		T.	
T. Permian		T.	
T. Penn "A"		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from	to	No. 3, from	to
No. 2, from	to	No. 4, from	to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	to	feet	
.....
No. 2, from	to	feet	
.....
No. 3, from	to	feet	
.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

[illegible]