

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	5. LEASE DESIGNATION AND SERIAL NO. NE 01547
2. NAME OF OPERATOR Conkline Oil Company	6. LANDMAN, ALLOTTEE OR TRIBE NAME NE 01547
3. ADDRESS OF OPERATOR P. O. Box 780, Farmington, New Mexico	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 990' from South and West Lines of 35-27N-6W	8. FARM OR LEASE NAME Branch "F"
	9. WELL NO. NE 01547
	10. FIELD AND POOL, OR WILDCAT Elanco Mesa Verde
	11. SECTION, T., R., OR BLK. AND SURVEY OR AREA 35-27N-6W
14. PERMIT NO.	12. COUNTY OR PARISH Rio Arriba
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6604 KB	13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONING <input type="checkbox"/>
(Other) <input type="checkbox"/>	

(Note: Report results of multiple completion or well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 7642. Cemented 5 1/2" OD casing as follows:

0 to 670.32	21 jts.	15.5# LT&C	J-55
670.32 to 6447.38	178 jts.	15.5# ST&C	J-55
6447.38 to 7470.92	31 jts.	17.0# ST&C	J-55
7470.92 to 7642.00	4 jts.	17.0# LT&C	J-55

Cemented through casing shoe with 400 sacks Class C Cement containing 4% gel and 12% gilsonite per sack followed by 100 sacks latex cement

Cemented through stage collar at 5240 with 475 sacks class C cement containing 4% gel. Closed stage collar with 2400# pressure. Plug down 11:45 PM, 5-15-65.

Used centralizers at 7640, 7470, 7371, 7272, 5273, 5108 and 4786

Used scratchers from 7642 to 7342, 5440 to 5284, 5219 to 5175 and 4913 to 4817.

Cement will set at least 72 hours before completion operations are started

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE **Superintendent**

DATE **5-16-65**

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

RECEIVED

MAY 17 1965

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.