

(SUBMIT IN TRIPLICATE)


Land Office 0357 Santa Fe

Lease No. 03547

Unit _____

Brooch "7"

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 14, 1962

Well No. D-1 is located 990 ft. from N line and 990 ft. from W line of sec. 33

N 27 section 33 27 north 6 east N M P M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Basin Dakota Rio Arriba New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6619 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

To 7710. Run 4 1/2" J-55 seamless casing to 7700' as follows:

0 to 945' 4 1/2" 11.6# LTAC
945 to 6718' 4 1/2" 10.5# STAC
6718 to 7700' 4 1/2" 11.6# STAC

Cemented casing as follows:

Thru shoe with 150 sks. 12% gel cement followed by 100 sks. latex cement.
Casing was rotated during this stage.

Thru stage collar at 5476' with 350 sks. 12% gel cement followed by 50 sks. neat, all containing 12% gilsonite per sack. Had full returns during this stage. Closed stage collar with 2000# pressure. Plug down 10-15-62.

Tested casing with 3000# pressure 10-24-62. Had no decrease in 30 minutes.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Caulkins Oil Company

Address Box 780

Farlington, New Mexico

By Frank J. Smith

Title Superintendent

NOV 18 1962

DIST. 5