


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Antonio
Lease No. 079360
Unit Alcon Unit



SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|--|--|--|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | <div style="text-align: center;"> RECEIVED NOV 4 1959 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO </div> |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 136(MD) is located 110 ft. from N line and 220 ft. from E line of sec. 23
SE/4 Sec. 23 27N 7E N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco M.V. & Wildcat Lsk. Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5688 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud date October 23, 1959.
 On October 27, total depth 337'.
 Run 10 joints 13 3/8", 48.00#, 5-40 casing (321') set at 336' w/220 sacks
 regular cement, 2% Calcium Chloride, 2% Gel and 1/2 cu. ft. Strata-Crete G/gk,
 circulated to surface.

Ran 500/30 minutes.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company
Box 937
 Address Farmington, New Mexico
 By ORIGINAL SIGNED H.E. McANALLY
 Title Petroleum Engineer

