

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all specific tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____ 2313.0	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____ 2424.0	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____ 3002.0	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____ 4693.0	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____ 5250.0	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____ 5380.0	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____ 6236.0	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____ 7338.0	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permain _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from to
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
2313.0	2424.0	111.0	Ojo Alamo
2424.0	2784.0	360.0	Kirtland
2784.0	3002.0	218.0	Fruitland
3002.0	3063.0	61.0	Pictured Cliffs
3063.0	4653.0	1590.0	Lewis
4653.0	4693.0	40.0	Cliff House
4693.0	5250.0	557.0	Menefee
5250.0	5380.0	130.0	Point Lookout
5380.0	6236.0	856.0	Mancos
6236.0	7153.0	917.0	Gallup
7153.0	7211.0	58.0	Greenhorn
7211.0	7338.0	127.0	Graneros
7338.0	7547.0	209.0	Dakota