


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo Tribal
Allottee Navajo
Lease No. 14-20-603-741



SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	AUG 3 1962
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	U. S. GEOLOGICAL SURVEY
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OF	FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Hobbs, New Mexico - August 2, 1962

Navajo ^{AP}
Well No. 1 is located 990 ft. from N line and 1690 ft. from E line of sec. 34
SE 1/4 SW 1/4 Sec. 34 26-N 14-W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

RECEIVED
AUG 6 1962
CON. COM.
DIST. 3

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill with rotary tools from surface to total depth of approx. 11,300' in the Mississippian Formation. Casing program to be approx. as follows:

Size Hole	Size Casing	Casing Weight	Casing Length
13-3/8"	10-3/4"	1200'	1800'
9"	5-1/2"	11300'	760'

Pump & Plug Process will be used in cementing both strings of casing & cement will be circulated to surface on 10-3/4" CB casing. The 5-1/2" CB casing will be set at approx. 10,300' with TV Tools set at approx. 7000' and 9200'. The 5-1/2" CB casing will be perforated and treated.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shelly Oil Company
Address Box 30
Hobbs, New Mexico
By N. E. Aub
Title Dist. Supt.

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

SECTION A.


Date **August 2, 1962**

Operator **Skelly Oil Company** Lease **Navajo #3**
Well No. **1** Unit Letter **aga** Section **34** Township **26 North** Range **14 West** NMPM
Located **990** Feet From **South** Line, **1650** Feet From **West** Line
County **San Juan** G. L. Elevation **6267** Dedicated Acreage **40** Acres
Name of Producing Formation **Wilmington** Pool **Wildcat**


1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below? Yes **2** No
2. If the answer to question One is "No," have the interests of all the owners been consolidated by communization agreement or otherwise? Yes _____ No _____ If answer is "Yes," Type of Consolidation _____
3. If the answer to question Two is "No," list all the owners and their respective interests below:

OWNER

LAND DESCRIPTION



SECTION B.



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Skelly Oil Company
(OPERATOR)

J. E. Gab
(REPRESENTATIVE)

(ADDRESS)

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed **July 29, 1962**

Four States Engineering Co.
FARMINGTON, NEW MEXICO

Ernest E. Chishaw
REGISTERED ENGINEER OR
LAND SURVEYOR

Certificate No. **3602**



