

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078355
Unit Large "B"

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 23, 19 57

Well No. 5 is located 1800 ft. from [N] line and 660 ft. from [W] line of sec. _____

C 21 N Sec. 15 26 E. 13 W. N/M 10
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
San Juan New Mexico
(County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ ground above sea level is 6337 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

PROGRAM to drill and test subject well to the Gallup S.S. Surface casing 4-5/8" OD API casing to be set at 210' KB and cemented with 175 sand and circulated to surface. Production casing 5-1/2" OD 116 J-55 casing to be set to approx. T.B. 5000'. Centralizers and rotating type washers to be used through the Gallup and cemented with 100 sand. 2" (50-50) Mx. Casing Core 100' Gallup S.S. No testing planned. Logging Combination KI-Induction Log from 10 to surface csg. Detail from 10 to 1000' above 10. Murelog same as Detail 10. Run Gamma Ray in conjunction with perforating. Drilling Fluid Geolograph to be used from 210' to 10. Drift Surveys At 50' intervals to 100'; thereafter at 250' intervals. Drift Surveys All of drill pipe at approximately 150' above the Murelog and at 10. Surveys Collect 10' samples from 1000' to 10. Completion Program Whenever practicable, completion will be with rotary.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE BRITISH-AMERICAN OIL PRODUCING COMPANY
Address P. O. Box 100
Denver, Colorado
By J. E. Stein
Title District Engineer



NEW MEXICO
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date _____

Operator BRITISH-AMERICAN OIL PRODUCING CORP. Lease 14122


Well No. B-5 Section 35 Township 26 NORTH Range 13 WEST NMPM

Located 1880 Feet From the NORTH Line, 660 Feet From the WEST Line,

SAN JUAN County, New Mexico. G. L. Elevation 6227.0 UNGRADED

Name of Producing Formation Gallup Sand Pool Bisti-Gallup Dedicated Acreage _____

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of form is to be used for gas wells only.



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes ___ No ___.
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage ? Yes ___ No ___.

Name _____
Position _____
Representing _____
Address _____

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 16 APRIL 1957
James P. Leese
Registered Professional Engineer and/or
Land Surveyor James P. Leese
N. Mex. Reg. No. 1463