

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lesse No. WM 04226
Unit McMans

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 21, 1954

Well No. 6 is located 990 ft. from N line and 790 ft. from E line of sec. 33

SE/4 NW/4 Sec. 33 26N 8W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (Not available. Will furnish later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pictured Cliffs Sand Test. Estimated depth 2100'.

Surface Casing: 90' of 8-5/8" OD 23#, cemented with 30 sacks, circulated.
Production " : Approximately 2000' of 8-1/2" OD 14#, cemented with 100 sacks.

If commercial production is indicated, the producing section will be shot with nitroglycerin.

I understand that this plan of work must receive approval in writing from the Geological Survey before operations may be commenced.

Company BEDFORD-WORTH
Address 315 1/2 West Main Street
Farmington, New Mexico



RECEIVED
SEP 23
U.S. GEOLOGICAL SURVEY
FARMINGTON

By [Signature]

Title Field Superintendent

(SUBMIT TO TERRITORY)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF WELL CONDITION
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF WELL CONDITION
NOTICE OF INTENTION TO REPAIR OR REPAIR WELL	SUBSEQUENT REPORT OF WELL CONDITION
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF WELL CONDITION
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WELL CONDITION
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WELL CONDITION

(IN NOTE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)

19

Well No. _____ is located about _____ ft from _____ and _____

_____ (Top)
_____ (Base)
_____ (Dip)
_____ (Strike)
_____ (Dip)
_____ (Strike)


The elevation of the derrick floor above sea level is _____

DETAILS OF WORK

U.S. GEOLOGICAL SURVEY

WATER RESOURCES DIVISION
WASHINGTON, D.C. 20506

Company..... **Benson - Montin**
Lease..... **McManus** Well No. **6**
Sec. **33**, T. **26 N.**, R. **8 W.**
Location..... **950' from the North line and**
990' from the West line.



Location moved to new
point 200 feet west.
New location 990' FNL,
790' FWL

9-21-54

Albert R. Green

Registered Professional
Engineer

Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes
of actual surveys made by me or under my supervision and that the
same are true and correct to the best of my knowledge and belief.


Seal:

James P. Leese

Registered Professional
Engineer and Land Surveyor.

James P. Leese
N. Mex. Reg. No. 1463

Surveyed **21 September**, 19 **54**



U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.