

P. O. Box 245
Farmington, New Mexico

April 2, 1956

Benson-Montin
405 1/2 West Broadway
Farmington, New Mexico

Re: Navajo 14-20-603-777

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Drill" dated March 30, 1956 covering your well No. 1 Ma-sosa in NE 1/4 sec. 31, T. 26 N., R. 8 W., N. M. P. M., San Juan County, New Mexico, Ballard pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:

1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
2. Furnish copies of all logs.

Very truly yours,

W. S. D. L. M. C. R. A. D.

P. T. McGrath
District Engineer

PTMcGrath:ac
cc - Navajo Agency

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Window Rock

(Navajo)

Allottee Dr-2000

Lease No. 14-22-602-777

<input checked="" type="checkbox"/>		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 30th, 19 56

Well No. 1 is located 1000 ft. from N line and 1745 ft. from E line of sec. 31

NE/4 NW/4 Sec. 31 24N 3E N. E. P. 2
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Hallard San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6213 ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pictured Cliffs Sand test. Estimated total depth 2000'.

Surface Casing: 90' of 8-5/8" OD 24" J-55 cemented to surface.
Production " : Approximately 1900' of 5-1/2" OD 15.8" J-55 cemented with 100 sacks.

If commercial production is indicated, the producing section will be shot with nitroglycerin and/or sandfraced.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company NEWMAN-MINTEN

Address 400 1/2 West Broadway

Farmington, New Mexico

By Alfred H. Green

Title Field Superintendent

NEW MEXICO
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date 3-30-56

Operator BENSON - MONTIN - GREER DRILLING CORP. Lease HA SOSA


Well No. 1 Section 31 Township 26 NORTH Range 8 WEST, NMPM

Located 1000 Feet From the NORTH Line, 1745 Feet From the WEST Line,

SAN JUAN County, New Mexico. G. L. Elevation 6305.8 UNGRADED.

Name of Producing Formation Pictured Cliffs Pool Ballard Dedicated Acreage 159.85 ✓

(Note: All distances must be from outer boundaries of Section)



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes ___ No x.

2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes ___ No ___.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Name Charles H. Greer
Position Field Superintendent
Representing Benson-Montin
Address 405 1/2 W. Broadway, Farmington, N. Mex.

Date Surveyed 22 JANUARY 1956
James P. Leese
Registered Professional Engineer and/or
Land Surveyor James P. Leese
N. Mex. Reg. No. 1463