



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office At. To  
Lease No. U.A. - 078033  
Unit A

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. Federal 17, 19 56  
Well No. 1 is located 660 ft. from N line and 660 ft. from E line of sec. 32  
N 1/4 of E 1/4 26 E 13 R 14 E  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Gallup San Juan N. Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the surface above sea level is 6322 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill this well to 5300' to test the Gallup sand expected at 5,030'. We will drill a 12 1/4" hole to approximately 350' and set 8 5/8" casing, 24' at approximately 345' with sufficient cement to circulate. We will then drill a 7 7/8" hole to approximately 5300' and set 5 1/2" - 14' casing at approximately 5295' with sufficient cement to place the top in the annulus, 500' above the Gallup sand. The casing will be run perforated and the formation sand oil freed during completion.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Garry Mid-Continent Oil Company

Address 111 N. Main

Farmington, N. M.

By H. M. Stierwalt

Title H. M. Stierwalt  
Area Engineer



NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date \_\_\_\_\_

Operator Sunray Mid-Continent Oil Company Lease \_\_\_\_\_

Well No. N. Max. G-1 Section 32 Township 26 North Range 13 West NMPM

Located 660 Feet From North Line, 660 Feet From East Line,

San Juan County, New Mexico. G. L. Elevation 6322

Name of Producing Formation \_\_\_\_\_ Pool \_\_\_\_\_ Dedicated Acreage \_\_\_\_\_

(Note: All distances must be from outer boundaries of Section)

32

RECEIVED

SEP 18 1956

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

NOTE

This section of  
form is to be  
used for gas  
wells only.

SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes \_\_\_\_\_ No \_\_\_\_\_
2. If the answer to Question 1 is yes, are there any other  
dually completed wells within the dedicated acreage?  
Yes \_\_\_\_\_ No \_\_\_\_\_

Name \_\_\_\_\_  
Position \_\_\_\_\_  
Representing \_\_\_\_\_  
Address \_\_\_\_\_

This is to certify that the above plat was prepared  
from field notes of actual survey made by me or  
under my supervision and that the same are true and  
correct to the best of my knowledge and belief.

Date Surveyed September 15, 1956

Ernest V. Echohawk  
Ernest V. Echohawk  
Reg. Land Surveyor, N. Mex., Reg. No. 1545