

submitted in lieu of Form 3160-5

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

1. Type of Well
GAS

2. Name of Operator

BURLINGTON
RESOURCES

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

871' FSL, 931' FEL, Sec. 30, T-26-N, R-8-W, NMPM

7. Unit Agreement Name

8. Well Name & Number

McManus #1

9. API Well No.

30-045-05654

10. Field and Pool

Ballard Pictured Cliffs

11. County and State

San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other - Restimulate

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut off

☐ Conversion to Injection

13. Describe Proposed or Completed Operations

It is intended to restimulate the subject well in the following manner:

NU BOP. TOOH w/1" tubing. Drill open hole to 2130'. Run open hole logs. Run 3 1/2" casing to new total depth and cement to surface. Perforate, acidize and foam fracture treat Pictured Cliffs. Clean out. Rerun tubing. Return well to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] (KKKPC) Title Regulatory Administrator Date 11/4/96

(This space for Federal or State Office use)

APPROVED BY _____ Title _____

CONDITION OF APPROVAL, if any: _____

Date

APPROVED

/S/ Duane W. Spencer
NOV 06 1996

NMOC

DISTRICT MANAGER

McManus #1
Pertinent Data Sheet

Location: 871' FSL & 931' FEL, Unit P, Section 30, T26N, R8W, San Juan County, New Mexico
Lat: 36-27-14 Long: 107-43-0

Field: Ballard PC **Elevation:** 6337' GL
6347' KB **TD:** 2091'
PBTD: 2091'

Spud Date: 4/11/54 **Compl Date:** 4/24/54 **DP #:** 50912A
Lease: (Fed) NM 4894-01
GWl: 100%
NRI: 82%
Prop#: 012658300

Initial Potential: Initial Potential = 2,010 MCF/D, SICP = 668 psi

Casing Record:

<u>Hole Size</u>	<u>Csg Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u>Cement</u>	<u>Cement (Top)</u>
12-1/4"	8-5/8"	24# J-55	108'	80 sx.	Circ Cmt
e7-7/8"	5-1/2"	15.5# J-55	1998'	100 sx.	1409' @ 75% Eff.
e4-3/4"	OH		1998'-2091'		

Tubing Record:

<u>Tbg. Size</u>	<u>Wt. & Grade</u>	<u>Depth Set</u>	<u># Joints</u>
1"	1.7#	2084'	99

Formation Tops:

Ojo Alamo:	1240'
Kirtland Shale:	1330'
Fruitland:	1767'
Pictured Cliffs:	2003'

Logging Record:

Stimulation: SOH w/ 205 qts SNG

Workover History: None

Production History: 8/96 PC capacity: 3 MCF/D. 8/96 PC cum: 812 MMCF.

Pipeline: EPNG

McManus #1

Section 30P, T-26-N, R-8-W
San Juan County, NM

BALLARD PICTURED CLIFFS WELLBORE SCHEMATIC

