

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION

DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078091
Unit Federal Douthit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 15, 1955

Federal Douthit

Well No. **"B" #1** is located **1850** ft. from **[N]** line and **790** ft. from **[W]** line of sec. **29**

NW/4 Sec. 29
(1/4 Sec. and Sec. No.)

26N
(Twp.)

13W
(Range)

N.M. Principal
(Meridian)

Wildcat
(Field)

San Juan

(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is **6532** ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

11-3-55 Reached total depth of 1740' K.B. Ran electric and micro logs. Spotted cement plug from 1740' to 1600', cement plug from 780' to 680', cement plug from 470' to 250', 5 sax cement in top of surface casing, erected marker and abandoned location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The British-American Oil Producing Company**


Address **P. O. Box 180**

Denver, Colorado

By

Thomas M. Hogan

Title **District Superintendent**



STANDARD NOTICES AND REPORTS ON WELLS

[illegible]

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER ACTION)

[illegible]

The elevation of the barrier floor above sea level is 6535 ft. C.T.

DETAILS OF WORK

(2) The number of and expected decline in objective and subjective weight and length in proposed catch (showing word) and other important factors for the fishery.

11-3-55 Reached total depth of 1740' K.F. Ran electric and micro logs. Spotted cement plug from 1740' to 1800', cement plug from 780' to 880', cement plug from 470' to 520', 5 sac cement in top of surface casing, erected marker and abandoned location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The British-American Oil Producing Company

Address P. O. Box 180

chur: 100 / revne:

100-443887-100

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078091
Unit Federal Douthitt

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 15, 1955

Federal Douthitt
Well No. **"B" #1** is located **1850** ft. from **[N]** line and **790** ft. from **[W]** line of sec. 29
NW/4 Sec. 29 **26N** **13W** **N.M. Principal**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6532** ft. G.L.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

11-3-55 Reached total depth of 1740' K.B. Ran electric and micro logs. Spotted cement plug from 1740' to 1600', cement plug from 780' to 680', cement plug from 470' to 250', 5 sack cement in top of surface casing, erected marker and abandoned location.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The British-American Oil Producing Company

Address P. O. Box 180


Denver, Colorado

By Thomas M. Hogan
Title District Superintendent



Land Office _____
License No. _____
United States _____

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	
NOTICE OF INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO ABANDON WELL	
SUBSEQUENT REPORT OF WATER SHUT-OFF	
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
SUBSEQUENT REPORT OF ALTERING CASING	
SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
SUBSEQUENT REPORT OF ABANDONMENT	
SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)

Well No. _____ is located _____ ft. from _____ line and _____ ft. from _____ line of sec. _____
_____ (Twp.) _____ (Range) _____ (Meridian)
_____ (State or Territory) _____ (County or Subdivision) _____ (District)

The elevation of the derrick floor above sea level is _____ ft. C.T.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing; indicate mudding jobs, cementing points, and all other important proposed work)

11-2-55 Reamed total depth of 1740'. R.S. Ran electric and set logs.
Spaced cement plug from 1740' to 1600', cement plug from 1600'
to 1500', cement plug from 1500' to 1400', 2 1/2" cement in top of
surface casing, erected marker and abandoned location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced

Company The United American Oil Producing Company

Address _____ Box 141

By _____
