

Form 3160-5  
(June 1990)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED  
MAY 16 1994

## 1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

## 2. Name of Operator

Dugan Production Corp.

OIL CON. DIV.  
DIST. 2

## 3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325-1821

## 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FNL - 1980' FWL  
Sec. 20, T26N, R13W, NMPM

## 5. Lease Designation and Serial No.

NM 013492

## 6. If Indian, Allottee or Tribe Name

## 7. If Unit or CA, Agreement Designation

West Bisti Unit

## 8. Well Name and No.

West Bisti Unit 110

## 9. API Well No.

30-045-05745 5755

## 10. Field and Pool, or Exploratory Area

Bisti Lower Gallup

## 11. County or Parish, State

San Juan, NM

## 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

- ☒
- Notice of Intent
- 
- ☐
- Subsequent Report
- 
- ☐
- Final Abandonment Notice

## TYPE OF ACTION

- ☒
- Abandonment
- 
- ☐
- Recompletion
- 
- ☐
- Plugging Back
- 
- ☐
- Casing Repair
- 
- ☐
- Altering Casing
- 
- ☐
- Other \_\_\_\_\_
- 
- ☐
- Change of Plans
- 
- ☐
- New Construction
- 
- ☐
- Non-Routine Fracturing
- 
- ☐
- Water Shut-Off
- 
- ☐
- Conversion to Injection
- 
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

## 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Plan to plug as follows:

1. Set cast iron bridge plug at Gallup top (5102') and spot 50' Class B cement to top.
2. Perforate 50' Mesa Verde top (2968') and place Class B cement plug inside and outside casing.
3. Perforate 50' below Pictured Cliffs (1747') and spot Class B + 4% gel plug inside and outside to cover Fruitland at 1552'.
4. Perforate 50' below Ojo Alamo base at 460' and pump Class B + 4% gel cement inside and outside to surface.

SEE ATTACHED FOR  
CONDITIONS OF APPROVAL

## 14. I hereby certify that the foregoing is true and correct

Signed

Title Operations Manager

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

4/21/94

APPROVED

MAY 6 1994

SECRET MANAGER

IN REPLY REFER TO:  
(07337)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT  
FARMINGTON DISTRICT OFFICE  
1235 La Plata Highway  
Farmington, New Mexico 87401

Attachment to Notice of

Re: Permanent Abandonment

Intention to Abandon

Well: 110 West Bisti Unit

CONDITIONS OF APPROVAL

1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal and Indian Leases."
2. Mike Flaniken with the Farmington Office is to be notified at least 24 hours before the plugging operations commence (505) 599-8907.
3. The following modifications to your plugging program are to be made (when applicable):

- 1.) Set CIBP between 5280' and 5290' and spot a cement plug on top of the CIBP back to 5128'.  
(Top put @ 5340') (Top of Gallup @ 5179')
- 2.) Perforate @ 2422'; place a cement plug inside & outside of the casing from 2422' to 2322' plus 100% excess cement in the annulus & 50 linear feet excess inside the casing. (Top of Mesa Verde - 2372')
- 3.) Perforate @ 1643'; place a cement plug from 1643' to 1243' inside & outside the casing plus 100% excess cement in the annulus & 50 linear feet excess inside the casing. (PC top @ 1593' -- Fruitland top @ 1293')

Office Hours: 7:45 a.m. to 4:30 p.m.