

11W

N.

(Revised 7/1/52)
(Form C-105)

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

26 N

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Texas National Petroleum Co - Moncrief #1 State 16-26-11

(Company or Operator)

(Lease)

Well No. 1, in SE 1/4 of SE 1/4, of Sec. 16, T. 26N, R. 11W, NMPM.

Wildcat

Pool,

San Juan

County.

Well is 790' feet from FEL line and 790' feet from FSL line

of Section 16. If State Land the Oil and Gas Lease No. is NM 15-4 and 15-5

Drilling Commenced September 30, 1960 Drilling was Completed October 17, 1960

Name of Drilling Contractor Great Western Drilling Company

Address P. O. Box 685, Farmington, New Mexico

Elevation above sea level at Top of Tubing Head 6264' G.L. The information given is to be kept confidential until
-- 6275' K.B.

OIL SANDS OR ZONES

No. 1, from 6120' to 6145' (Gas) No. 4, from

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None noted to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4"	32.75#	Used	344'	Baker Guide	-	-	-
4-1/2"	11.60# & 9.5#	New	6229.86	"	-	6122-6140'	Gas Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	10-3/4"	336'	338	Pump & plug	10.0#/gal.	-
7-7/8"	4-1/2"	6226.86'	225	Pump & plug	15.0#/gal.	-

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Sand fraced perforations 6122-6140' w/29,736 gallons gelled water carrying 30,000# 20-40 mesh sand. Spearheaded with 500 gals. 15% HCL acid and 126 bbls. gelled water without sand. Breakdown pressure 2700 psi, pump pressure 2700-3100 psi. Overflushed with 16 bbls. Dropped total of 36 rubber sealer balls in three drops of 12 each.

Result of Production Stimulation

Depth Cleaned Out 6187' (FBTD)

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from 0 feet to 6237 feet, and from - feet to - feet.
Cable tools were used from - feet to - feet, and from - feet to - feet.

Put to Producing.....**October 21**....., 19**60**.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....**1757**.....M.C.F. plus.....**No measurement**.....barrels of
liquid Hydrocarbon. Shut in Pressure.....**2000**.....lbs.
Length of Time Shut in.....**7 days**.....

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
5092	5394	302	Gallup				
5958	6020	62	Greenhorn				
6020	6122	102	Dakota				

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

February 27, 1961

(Date)

Company or Operator **Texaco National Petroleum Co.** Address **902 So. Coast Bldg., Houston, Texas**

Name W. J. Wilkes Position or Title Vice President