(Form C-101) (Revised 7/1/52)

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

		ding,	DALIAS,	TEXAS		(Date)	955		
L CON	SERVATIO	ON COM	MISSION						
	E, NEW M	EXICO							
ntlemen	:	c . 1		ntention to commence the	(Drilling) (Drilling)) of a well to be k	nown as		
You a	ire hereby	SOUT	ERN UNIO	GAS COMPANY	(2				
			•••••	(Company	or Operator)				
		RUTH	(I eage)				The well is		
ated	990	fe	et from the	SCUTH		line and	feet from the		
	West	·		line of Section	. 16, T 26N	, R	, NMPM.		
IVE LO	CATION	FROM	SECTION LI	NE) BALLARD PI	CTURED Pool,	SAN JUAN	County		
				If State Land the Oil ar	nd Gas Lease is No	F(2/2)			
	1								
D	C	В	A	Address	•••••		n toole from Comfo		
				We propose to drill well	with drilling equipment as	follows:	r tools from Surf		
E	F	G	н	to Top of Pict	ered Clires. Can	in Tools Ire	m Top of Pay to 1		
ь	1	J							
					MA THE T	EWEDLT KEEL			
L	K	J	I	Drilling Contractor TO HE DETERMINED.					
			1 1	We intend to complete this well in the PICTURED CLIEFS					
м	o N	0	Р	***************************************	Province	ET CLITTES			
M	• _N	О	P	We intend to complete	this well in the PICTUE	ED CLIFFS			
M	• N	0	Р	We intend to complete formation at an approx	this well in the PICTUE	ED CLIFFS	feet.		
				We intend to complete formation at an approx CASING	this well in the PICTUR cimate depth of 2100 PROGRAM	ED CLIFFS			
We p	propose to u		llowing strings	We intend to complete formation at an approx CASING of Casing and to cement t	this well in the PICTUR cimate depth of 2100 PROGRAM	ED CLIFFS			
We p			llowing strings	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated:	Depth	Sacks Cement		
We p	propose to u		llowing strings	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated:	Depth	Sacks Cement Recover to Sur		
We p	propose to u		llowing strings	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated:	Depth	Sacks Cement		
We p	propose to u		llowing strings	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated:	Depth	Sacks Cement Recover to Suri		
We p	propose to u	ise the fo	ollowing strings Size of Casing 9 5/8**	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot 325 15.55	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand	Depth	Sacks Cement Recover to Suri		
We p	propose to u	ase the fo	Size of Casing 9 5/8** plans become	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324 15.54	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Figure Du immediately.	Depth 100 t 2100 t	Sacks Cement Recover to Suri		
We p	propose to u	ase the fo	Size of Casing 9 5/8** plans become	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324 15.54	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand	Depth 100 t 2100 t	Sacks Cement Recover to Suri 100 Secks		
We p	propose to u	ase the fo	Size of Casing 9 5/8** plans become	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324 15.54	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Figure Du immediately.	Depth 100 t 2100 t	Sacks Cement Recover to Suri 100 Secks		
We p	propose to u	ase the fo	Size of Casing 9 5/8* plans become	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324 15.54 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Figure Du immediately.	Depth 100 t 2100 t	Sacks Cement Recover to Suri		
We p	propose to use of Hole	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to weight per Foot 325 15.55 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Fig. Du immediately. etails of proposed plan of vices.	Depth 100 t 2100 t	Sacks Cement Recover to Suri 100 Secks		
We p	nanges in the	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to Weight per Foot 324 15.54 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of	Depth 100 t 2100 t Work.)	Sacks Cement Recover to Survivo 100 Secks 2 9 1955 DN. COM. IST. 3		
We p	propose to use of Hole	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to weight per Foot 325 15.55 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Fig. Du immediately. etails of proposed plan of vices.	Depth 100 clusts 2100 clusts Very cluster of the control of the	Sacks Cement Recover to Survi 100 Secks 2 9 1955 DV. COM. IST. 3		
We p	nanges in the	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to weight per Foot 325 15.55 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of	Depth 100 t 2100 t Work.) OIL C CCompany or Oper	Sacks Cement Recover to Survi 100 Secks 2 9 1955 DV. COM. IST. 3		
We p	nanges in the	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to weight per Foot 325 15.55 advisable we will notify your recompletion give full designed.	this well in the PICTUR cimate depth of	Depth 100 cliffs 2100 cliffs Work.) OIL Company or Operation	Sacks Cement Recover to Surri 100 Sector 2 9 1955 JN. COM. IST. 3		
We p	nanges in the	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot to the second	this well in the PICTUR cimate depth of	Depth 100 cliffs 2100 cliffs Work.) OIL Company or Operation	Sacks Cement Recover to Surri 100 Sector 2 9 1955 JN. COM. IST. 3		
We p	nanges in the	ne above	plans become	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot to the second	this well in the PICTUR cimate depth of	Depth 100 cliffs 2100 cliffs Work.) OIL Company or Open Company or Open Communications rejections rejections	Sacks Cement Recover to Surri 100 Sector 2 9 1955 JN. COM. IST. 3		
We p Size If ch ADD Approved Except as	nanges in the DITIONAL	ne above	plans become MATION (In	We intend to complete formation at an approx CASING of Casing and to cement to the weight per Foot to the second	this well in the PICTUR cimate depth of 2100 PROGRAM hem as indicated: New or Second Hand Box Du immediately. etails of proposed plan of vice second plan of vi	Depth 100 2100 2100 Work.) OIL C (Company or Open (Company or Open (Communications rep	Sacks Cement Recover to Surri 100 Secks 2 9 1955 JN. COM. IST. 3 ator)		

Escation 990' from the South line and 1450' from the West line.	
Sping in SIM	
or my m	
Sec. 16, 726 N. R. 8 W., N.M.P.M., San Juan County, New Hexico.	
Ground Elevation	
16	
RE	
JULS	² 9 195 5
Cis	^{™.} СОМ. 5Т. З
Shale 4 inches equals 1 prije Surveyed July 20	

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of $m\gamma$ knowledge and telief.

> Excel V. Ex Lahanda Ernest V. Echohawk

Registered Land Surveyor N. M. Reg. #1545



OIL CONSERVAT	10N 00N	201011					
OIL CONSERVATION COMMISSION							
AZTEC DISTRICT OFFICE							
No. Copies Received							
DISTRIBUTION							
	NO. FUEN, SHED						
Operator							
Santa Fe							
Proration Office							
State Land Office							
U. S. G. S.	-						
Transporter							
File		مست					