

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

ME-03153

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

O. E. Bredel

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Gallegos Gallop

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

**SE/4 SW/4 Section 15
T-26-N, R-11-W**

1.

OIL WELL GAS WELL OTHER **Dry Hole**

2. NAME OF OPERATOR

PAN AMERICAN PETROLEUM CORPORATION

3. ADDRESS OF OPERATOR

P. O. Box 480, Farmington, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)
At surface

920' FSL & 1720' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6320' (RDB)

12. COUNTY OR PARISH

San Juan

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

As a result of not obtaining commercial shows of gas or oil, the above well was plugged and abandoned on 11-4-66 as follows:

- 1. 50 sacks cement containing 6% Gel and 2% calcium chloride spotted from PND 5500' to 5175' (perfs 5286-5304' 5310-20' 5356-76 and 5418-52) and squeezed.**
- 2. Loaded hole with fluid and spotted 75 sacks cement with 6% Gel and 2% calcium chloride from 4350 to 2800'.**
- 3. Loaded hole with fluid and spotted 10 sacks cement from 1500-1400'.**
- 4. Loaded hole with fluid and spotted 5 sacks cement with 6% Gel and 2% calcium chloride from surface to 50'.**
- 5. Pumped 12 sacks cement with 6% Gel and 2% calcium chloride into 8-5/8" - 4-1/2" annulus.**
- 6. Erected PIA marker, and cleaned up location.**

18. I hereby certify that the foregoing is true and correct

SIGNED **C. W. Eaton, Jr.**

TITLE **Area Engineer**

DATE **NOV 3, 1966**

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____


RECEIVED

DATE

NOV 8 1966

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.



Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.