



IN REPLY REFER TO:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

P. O. Box 965
Farmington, New Mexico

RECEIVED
SEP 26 1983
SEP 26 1983

July 30, 1953

OIL CON. DIV.
DIST. 3

J. R. Sharp
Box 3307, Whittier Sta.
Tulsa, Oklahoma

Re: Santa Fe 078622

Gentlemen:

Your "Subsequent Report of Abandonment" dated November 1, 1952, covering your well No. 5 Luthy, located on subject lease in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 26 N., R. 8 W., N. M. P. M., San Juan County, New Mexico, is hereby approved.


Very truly yours,

P. T. McGrath
District Engineer

PTMcGrath:ac

Inspected by:
P. T. McGrath
July 30, 1953

FARMINGTON OFFICE COPY



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078622
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	XX
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

11-1, 1952

Well No. 5 ^{Luthy} is located 990 ft. from N line and 990 ft. from E line of sec. 13
NE 1/4 NE 1/4 Sec. 13 26 N 8 W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Sc. Blanco (Ext.) San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6193 ft. (GL)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to plug well as follows:

Heavy mud from TD 4590' to 4400'; Cement plug 4400' to 4300' (50 in casing)
" " " " 4300' to 2150'; " " 2150' to 2050'
" " " " 2050' to 1500'; " " 1500' to 1400'
" " " " 1400' to 50'; " " 50' to surface

Placed in marker pipe in last plug;

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company J. R. Sharp

Address Box 3307, Whittier Sta.

Tulsa, Oklahoma

By JOHN A. EGAN

Title Agent