


OK


District I	State Of New Mexico	SUBMIT 1 COPY TO
P.O. Box 1980, Hobbs, NM	Energy, Minerals and Natural Resources Department	APPROPRIATE
District II		DISTRICT OFFICE
P.O. Drawer, Artesia, NM 88211	OIL CONSERVATION DIVISION	AND 1 COPY TO
District III	P.O. Box 2088	SANTA FE OFFICE
1000 Rio Brazos Rd. Aztec, NM 87410	Santa Fe, New Mexico 87504-2088	(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator:	<u>Conoco Inc.</u>		Telephone:	<u>505-324-5837</u>	
Address:	<u>3315 Bloomfield Hwy - Farmington, NM 87401</u>				
Facility Or:	<u>San Juan 28-7 #253</u>				
Well Name					
Location:	Unit or Qtr/Qtr Sec	Unit <u>A</u> M	Sec	<u>7</u> T	<u>27N</u> R
				<u>7W</u> County	Rio Arriba
Pit Type:	Separator	Dehydrator	<u>X</u>	Other	
Land Type:	BLM	<u>X</u> State	Fee	Other	
Pit Location: (Attach diagram)	Pit dimension:	length	<u>12'</u>	width	<u>12'</u> depth <u>4'</u>
	Reference:	wellhead	<u>X</u>	other	
	Footage from reference:		<u>30</u>		
	Direction from reference:	<u>330</u>	Degrees	East of <u>X</u> North	
				<u>X</u> West	<u>South</u>

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points)	
	50 feet to 99 feet (10 points)	
	Greater than 100 feet (0 points)	
	Total	<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points)	
	No (0 points)	
	Total	<u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points)	(20 points)
	200 feet to 1000 feet (10 points)	(10 points)
	Greater than 1000 feet (0 points)	(0 points)
	Total	<u>0</u>
	RANKING SCORE (TOTAL POINTS):	<u>0</u>



Date Remediation Started: _____		No Remediation Necessary _____		Date Completed: _____		N/A	
Remediation Method: _____		Excavation: _____		Approx. cubic yards _____			
(Check all appropriate sections)		Landfarm _____		Insitu Bioremediation _____			
		Other _____					
Remediation Location: _____		Onsite _____		Offsite _____			
(ie. landfarmed onsite, name and location of offsite facility)							
General Description Of Remedial Action: _____							
Ground Water Encountered: _____		No _____		X Yes _____		Depth _____	
Final Pit: _____		Sample location _____		Center of Pit Bottom			
Closure Sampling: _____							
(if multiple samples attach sample results and diagram of sample locations and depths)		Sample depth _____		3'			
		Sample date _____		2/13/2002		Sample time _____ 2:30 PM	
		Sample Results					
		Benzene (ppm) _____		ND			
		Total BTEX (ppm) _____		ND			
		Field headspace (ppm) _____		N/A			
		TPH _____		ND			
Ground Water Sample: _____		Yes _____		No _____		X (If yes, attach sample results)	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF							
DATE _____		5/2/2002		PRINTED NAME _____		John E. Cofer	
SIGNATURE _____				AND TITLE _____		Environmental Coordinator	

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	97070-003-436
Sample ID:	Dehy Pit	Date Reported:	02-18-02
Laboratory Number:	22043	Date Sampled:	02-13-02
Chain of Custody:	9671	Date Received:	02-15-02
Sample Matrix:	Soil	Date Analyzed:	02-18-02
Preservative:	Cool	Date Extracted:	02-18-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: S.J. 28-7 #253.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Conoco	Project #:	97070-003-436
Sample ID:	Dehy Pit	Date Reported:	02-18-02
Laboratory Number:	22043	Date Sampled:	02-13-02
Chain of Custody No:	9671	Date Received:	02-15-02
Sample Matrix:	Soil	Date Extracted:	02-18-02
Preservative:	Cool	Date Analyzed:	02-18-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: S. J. 28 - 7 #253.


Analyst


Review

09671

[illegible]


Lease Name: San Juan 28-7 # 253

Operator: Conoco

Date: 3-11-02

Site Security

(Indicate North)



Lease Name: San Juan 28-7 #253

Federal/ Indian Lease No: SF 078835

CA No.: N/A

Unit : A

Legal Description: S-7 T-27N R-7W

County: Rio Arriba

Load line valves :
Sealed during Production

Drain line valves :
Sealed during Production

Production Line valve:
Sealed during sales


This lease is subject to the site security plan for
San Juan Basin Operations. The plan is located at:
Conoco Inc.
3315 Bloomfield Hwy
Farmington, NM


District I P.O. Box 1980, Hobbs, NM District II P.O. Drawer, Artesia, NM 88211 District III 1000 Rio Brazos Rd. Aztec, NM 87410	State Of New Mexico Energy, Minerals and Natural Resources Department OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088	SUBMIT 1 COPY TO APPROPRIATE DISTRICT OFFICE AND 1 COPY TO SANTA FE OFFICE (Revised 3/9/94)
--	--	--

PIT REMEDIATION AND CLOSURE REPORT

Operator: <u>Conoco Inc.</u>		Telephone: <u>505-324-5837</u>	
Address: <u>3315 Bloomfield Hwy - Farmington, NM 87401</u>			
Facility Or: <u>San Juan 28-7 #253</u>			
Well Name: _____			
Location:	Unit or Qtr/Qtr Sec	Unit <u>A</u> M Sec <u>7</u> T <u>27N</u> R <u>7W</u> County Rio Arriba	
Pit Type:	Separator _____	Dehydrator _____	Other <u>BDP</u>
Land Type:	BLM <u>X</u> State _____	Fee _____	Other _____
Pit Location: (Attach diagram)	Pit dimension:	length <u>12'</u>	width <u>12'</u> depth <u>4'</u>
	Reference:	wellhead <u>X</u>	other _____
	Footage from reference:	<u>111</u>	
	Direction from reference:	<u>220</u> Degrees	East of _____ North X West <u>X</u> South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)	
	50 feet to 99 feet	(10 points)	
	Greater than 100 feet	(0 points)	
	Total		<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes	(20 points)	
	No	(0 points)	
	Total		<u>0</u>
	Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet	(20 points)
200 feet to 1000 feet		(10 points)	(10 points)
Greater than 1000 feet		(0 points)	(0 points)
Total		<u>0</u>	
RANKING SCORE (TOTAL POINTS):			<u>0</u>



Date Remediation Started:		No Remediation Necessary		Date Completed:		N/A	
Remediation Method:		Excavation:		Approx. cubic yards			
(Check all appropriate sections)		Landfarm		Insitu Bioremediation			
		Other					
Remediation Location:		Onsite		Offsite			
(ie. landfarmed onsite, name and location of offsite facility)							
General Description Of Remedial Action:							
Ground Water Encountered:		No		X		Yes	
				Depth			
Final Pit:		Sample location		Center of Pit Bottom			
Closure Sampling:							
(if multiple samples attach sample results and diagram of sample locations and depths)		Sample depth		3'			
		Sample date		2/13/2002		Sample time	
						12:00 PM	
		Sample Results					
		Benzene (ppm)		ND			
		Total BTEX (ppm)		ND			
		Field headspace (ppm)		N/A			
		TPH		ND			
Ground Water Sample:		Yes		No		X	
						(If yes, attach sample results)	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF							
DATE		5/2/2002		PRINTED NAME		John E. Cofer	
SIGNATURE				AND TITLE		Environmental Coordinator	

--	--	--	--

Client:	Conoco	Project #:	97070-003-436
Sample ID:	Water Pit	Date Reported:	02-18-02
Laboratory Number:	22042	Date Sampled:	02-13-02
Chain of Custody:	9671	Date Received:	02-15-02
Sample Matrix:	Soil	Date Analyzed:	02-18-02
Preservative:	Cool	Date Extracted:	02-18-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: S.J. 28-7 #253.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Conoco	Project #:	97070-003-436
Sample ID:	Water Pit	Date Reported:	02-18-02
Laboratory Number:	22042	Date Sampled:	02-13-02
Chain of Custody No:	9671	Date Received:	02-15-02
Sample Matrix:	Soil	Date Extracted:	02-18-02
Preservative:	Cool	Date Analyzed:	02-18-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.


References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: S. J. 28 - 7 #253.


Analyst


Review

Site Security
(Indicate North)



Lease Name: San Juan 28-7 #253

Federal/ Indian Lease No: SF 078835

CA No.: N/A

Unit : A

Legal Description: S-7 T-27N R-7W

County: Rio Arriba

**Load line valves :
Sealed during Production**

**Drain line valves :
Sealed during Production**

**Production Line valve:
Sealed during sales**

**This lease is subject to the site security plan for San Juan Basin Operations. The plan is located at: Conoco Inc.
3315 Bloomfield Hwy
Farmington, NM**