

DISTRICT I
P.O. Box 1980, Hobbs, NM 88241-1980
DISTRICT II
811 South First St., Artesia, NM 88210-2835
DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico
Energy, Minerals and Natural Resources Department
OIL CONSERVATION DIVISION
2040 S. Pacheco
Santa Fe, New Mexico 87505-6429

Form C-107-A
New 3-12-96

APPROVAL PROCESS :
☒ Administrative
☐ Hearing

APPLICATION FOR DOWNHOLE COMMINGLING

EXISTING WELLBORE
☒ YES ☐ NO

Burlington Resources Oil and Gas

PO Box 4289, Farmington, NM 87499

Operator

San Juan 28-5 Unit

#42

K 31-28N-05W

Rio Arriba

Lease

Well No.

Unit Ltr. - Sec - Twp - Rge

County

Spacing Unit Lease Types: (check 1 or more)

OGRID NO. 14538 Property Code 7460 API NO. 30-039- 07240 Federal ☒ State ☐ Fee ☐

The following facts are submitted in support of downhole commingling:	Upper Zone	Intermediate Zone	Lower Zone
1. Pool Name and Pool Code	Blanco Mesaverde - 72399		Basin Dakota - 71599
2. Top and Bottom of Pay Section (Perforations)	4976'-5450'		7376'-7570'
3. Type of production (Oil or Gas)	Gas		Gas
4. Method of Production (Flowing or Artificial Lift)	Artificial Lift		Flowing
5. Bottomhole Pressure Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current All Gas Zones: Estimated or Measured Original	(Current) a. 488 psi (see attachment) (Original) b. 1341 psi (see attachment)		a. 863 psi (see attachment) b. 3182 psi (see attachment)
6. Oil Gravity (°API) or Gas BTU Content	BTU 1189		BTU 1066
7. Producing or Shut-In?	Producing		Producing
Production Marginal? (yes or no)	Yes		No
* If Shut-In and oil/gas/water rates of last production Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data * If Producing, give data and oil/gas/water of recent test (within 60 days)	Date: N/A Rates: Date: 6/18/98 Rates: 85 mcf/d 0.3 bopd		Date: N/A Rates: Date: 6/18/98 Rates: 122 mcf/d 0.0 bopd
8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%)	Will be supplied upon completion.		Will be supplied upon completion.

9. If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data.
10. Are all working, overriding, and royalty interests identical in all commingled zones? ☐ Yes ☒ No
If not, have all working, overriding, and royalty interests been notified by certified mail? ☐ Yes ☒ No
Have all offset operators been given written notice of the proposed downhole commingling? ☒ Yes ☐ No
11. Will cross-flow occur? ☒ Yes ☐ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. ☒ Yes ☐ No (If No, attach explanation)
12. Are all produced fluids from all commingled zones compatible with each other? ☒ Yes ☐ No
13. Will the value of production be decreased by commingling? ☐ Yes ☒ No (If Yes, attach explanation)
14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. ☒ Yes ☐ No
15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). R-10695 attached
16. ATTACHMENTS:
* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.
* Production curve for each zone for at least one year. (If not available, attach explanation.)
* For zones with no production history, estimated production rates and supporting data.
* Data to support allocation method or formula.
* Notification list of all offset operators.
* Notification list of working, overriding, and royalty interests for uncommon interest cases.
* Any additional statements, data, or documents required to support commingling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE L. Tom Loveland TITLE Production Engineer DATE 6/23/98

TYPE OR PRINT NAME L. Tom Loveland TELEPHONE NO. (505) 326-9700

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date **APRIL 26, 1960**

Operator **EL PASO NATURAL GAS COMPANY** Lease **SAN JUAN 28-5 UNIT** SF **079521-A**
 Well No. **42(MD)** Unit Letter **K** Section **31** Township **28-N** Range **5-W** NMPM
 Located **1800** Feet From **SOUTH** Line, **1650** Feet From **WEST** Line
 County **RIO ARriba** G. L. Elevation **6379** Dedicated Acreage **319.28 & 319.28** Acres
 Name of Producing Formation **MESA VERDE E AND DAKOTA** Pool **BLANCO MV & WILBERT DAKOTA**
 1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? **Yes** ☒ **No** ☐ *Basin*

2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? **Yes** ☒ **No** ☐ If answer is "yes", Type of Consolidation.

Unit Agreement

3. If the answer to question two is "no", list all the owners and their respective interests below:

Owner

Land Description

Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

El Paso Natural Gas Company

(Operator)


ORIGINAL SIGNED A.M. SMITH

(Representative)

Box 997, Farmington, N.Mex.

(Address)

Note: All distances must be from outer boundaries of section.



RECEIVED
R JUL 7 1960
OIL CO. OF N.M.
DP-10

Scale: 1 inch = 400 feet

This is to certify that the above plat was prepared from field notes of a trial survey made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal

Date Surveyed **FEBRUARY 10, 1960**

David A. Kilmer
 Registered Professional Land Surveyor

Farmington, New Mexico

SAN JUAN 28-5 UNIT : 42 : DAKOTA

• OIL
• WATER/GAS
• GAS
• WATER

— DAILY RATE
— TBG PRESSURE

100
10
1
0.1
0.01
0.001

100
10
1
0.1
0.01
0.001


10
1
0.1
0.01
0.001

10
1
0.1
0.01
0.001

Prop 168 *
• WATER Bbls/d
• GAS Mcf/d
• WATER/GAS
• OIL Bbl/d

RateTime
Semi Log

Major = GAS



• OIL
• WATER/GAS
• GAS
• WATER

SAN JUAN 28-5 UNIT : 42 : MESAVERDE

Prop 169 *

— DAILY RATE
— TBG PRESSURE

- * WATER Bbls/d
- * GAS Mcf/d
- * WATER/GAS
- * OIL Bbl/d

RateTime
Semi Log




100
1000
1000

10
100
100

1
10
10

1
10
100



72 74 76 78 80 82 84 86 88 90 92 94 96 98

Major = GAS

San Juan 28-5 Unit #42
Bottom Hole Pressures
Flowing and Static BHP
Cullender and Smith Method
Version 1.0 1/14/98

Mesaverde		Dakota	
<u>MV-Current</u>		<u>DK-Current</u>	
GAS GRAVITY	<u>0.695</u>	GAS GRAVITY	<u>0.608</u>
COND. OR MISC. (C/M)	<u>C</u>	COND. OR MISC. (C/M)	<u>C</u>
%N2	<u>0.16</u>	%N2	<u>0.18</u>
%CO2	<u>1.11</u>	%CO2	<u>1.45</u>
%H2S	<u>0</u>	%H2S	<u>0</u>
DIAMETER (IN)	<u>7</u>	DIAMETER (IN)	<u>2.375</u>
DEPTH (FT)	<u>5213</u>	DEPTH (FT)	<u>7473</u>
SURFACE TEMPERATURE (DEG F)	<u>60</u>	SURFACE TEMPERATURE (DEG F)	<u>60</u>
BOTTOMHOLE TEMPERATURE (DEG F)	<u>155</u>	BOTTOMHOLE TEMPERATURE (DEG F)	<u>180</u>
FLOWRATE (MCFPD)	<u>0</u>	FLOWRATE (MCFPD)	<u>0</u>
SURFACE PRESSURE (PSIA)	<u>429</u>	SURFACE PRESSURE (PSIA)	<u>734</u>
BOTTOMHOLE PRESSURE (PSIA)	<u>488.0</u>	BOTTOMHOLE PRESSURE (PSIA)	<u>862.8</u>
<u>MV-Original</u>		<u>DK-Original</u>	
GAS GRAVITY	<u>0.695</u>	GAS GRAVITY	<u>0.608</u>
COND. OR MISC. (C/M)	<u>C</u>	COND. OR MISC. (C/M)	<u>C</u>
%N2	<u>0.16</u>	%N2	<u>0.18</u>
%CO2	<u>1.11</u>	%CO2	<u>1.45</u>
%H2S	<u>0</u>	%H2S	<u>0</u>
DIAMETER (IN)	<u>7</u>	DIAMETER (IN)	<u>2.375</u>
DEPTH (FT)	<u>5213</u>	DEPTH (FT)	<u>7473</u>
SURFACE TEMPERATURE (DEG F)	<u>60</u>	SURFACE TEMPERATURE (DEG F)	<u>60</u>
BOTTOMHOLE TEMPERATURE (DEG F)	<u>155</u>	BOTTOMHOLE TEMPERATURE (DEG F)	<u>180</u>
FLOWRATE (MCFPD)	<u>0</u>	FLOWRATE (MCFPD)	<u>0</u>
SURFACE PRESSURE (PSIA)	<u>1160</u>	SURFACE PRESSURE (PSIA)	<u>2669</u>
BOTTOMHOLE PRESSURE (PSIA)	<u>1341.3</u>	BOTTOMHOLE PRESSURE (PSIA)	<u>3182.3</u>

Package Preparation Volume Data

DPNo: 53420B SAN JUAN 28-6 UNIT 42 Form: MV

Supt: 60 KEN RAYBON FF: 335 LARY BYARS MS: 325 KEN JONES
 Pipeline: WFS Plunger: Yes Dual: Yes Compressor: No

<u>Ownership (No Trust)</u>			<u>Prior Year</u>			<u>Current Year</u>		
	<u>Gas</u>	<u>Oil</u>			<u>Days</u>			<u>Days</u>
	GWI: 73.1659%	73.1659%		<u>MCF/M</u>	<u>BOPM</u>	<u>On</u>	<u>MCF/M</u>	<u>BOPM</u>
	GNI: 62.3562%	62.3562%	Jan	1,502	8.0	31	5,226	23.0
			Feb	5,873	22.0	28	5,588	17.0
			Mar	6,375	17.0	31	3,823	12.0
<u>Volumes</u>			Apr	5,075	23.0	30	4,233	15.0
<u>(Days On)</u>	<u>MCFD</u>	<u>BOPD</u>	May	2,531	5.0	31	0	0.0
7 Day Avg	135	3.4	Jun	2,124	0.0	30	0	0.0
30 Day Avg	85	0.3	Jul	1,535	0.0	31	0	0.0
60 Day Avg	113	0.4	Aug	2,437	8.0	24	0	0.0
3 Mo Avg	153	0.5	Sept	3,305	0.0	30	0	0.0
6 Mo Avg	153	0.6	Oct	2,038	13.0	31	0	0.0
12 Mo Avg	117	0.4	Nov	5,195	22.0	30	0	0.0
			Dec	3,681	12.0	31	0	0.0
<u>Volumes</u>			Total	41,671	130.0		18,870	67.0
<u>(Days in Month)</u>	<u>MCFD</u>	<u>BOPD</u>						
30 Day Avg	85	0.3						
60 Day Avg	113	0.4						
3 Mo Avg	153	0.5						
6 Mo Avg	152	0.6						
12 Mo Avg	114	0.3						

Print Form

Exit Volumes Data

Package Preparation Volume Data

DPNo: 53420A SAN JUAN 28-5 UNIT 425 Form: DK

Supt: 60 KEN RAYBON FF: 335 LARY BYARS MS: 325 KEN JONES
Pipeline: WFS Plunger: No Dual: Yes Compressor: No

<u>Ownership (No Trust)</u>			<u>Prior Year</u>			<u>Current Year</u>		
	<u>Gas</u>	<u>Oil</u>			<u>Days</u>			<u>Days</u>
				<u>MCF/M</u>	<u>BOPM</u>	<u>On</u>	<u>MCF/M</u>	<u>BOPM</u>
GWI:	69.6124%	69.6124%	Jan	4,956	2.0	31	4,663	7.0
GNI:	58.8960%	58.8960%	Feb	4,217	7.0	28	3,465	12.0
			Mar	4,741	4.0	31	3,313	0.0
<u>Volumes</u>			Apr	6,160	9.0	30	4,794	4.0
<u>(Days On)</u>	<u>MCFD</u>	<u>BOPD</u>	May	4,543	5.0	31	0	0.0
7 Day Avg	122	0.2	Jun	4,326	7.0	30	0	0.0
30 Day Avg	122	0.0	Jul	4,330	3.0	31	0	0.0
60 Day Avg	141	0.1	Aug	3,418	4.0	26.9	0	0.0
3 Mo Avg	130	0.2	Sept	3,951	5.0	30	0	0.0
6 Mo Avg	140	0.2	Oct	4,237	3.0	31	0	0.0
12 MoAvg	139	0.2	Nov	4,832	9.0	30	0	0.0
			Dec	4,283	0.0	31	0	0.0
<u>Volumes</u>			Total	53,994	58.0		16,235	23.0
<u>(Days in Month)</u>	<u>MCFD</u>	<u>BOPD</u>						
30 Day Avg	122	0.0						
60 Day Avg	141	0.1						
3 Mo Avg	130	0.2						
6 Mo Avg	139	0.2						
12 Mo Avg	137	0.2						

Print Form

Exit Volume Data

Page No.: 9

Print Time: Fri May 08 08:28:39 1998

Property ID: 169

Property Name: SAN JUAN 28-5 UNIT | 42 | MESAVERDE

Table Name: S:\ARIES\78LTL\TEST.DBF

<u>--DATE--</u>	<u>--CUM_OIL--</u>	<u>---CUM_GAS---</u>	<u>M SIWHP</u>
	Bbl	Mcf	Psi
06/14/60		0	1159.0
08/25/60		0	1160.0
11/22/60		63000	856.0
06/13/61		123000	872.0
09/24/62		265000	860.0
05/06/63		370000	814.0
12/02/64		594000	744.0
05/03/65		659000	712.0
10/05/66		846000	689.0
11/01/67		967000	680.0
11/04/68		1096000	629.0
06/22/69		1165441	674.0
04/15/70		1254458	584.0
06/21/71		1405886	531.0
06/07/72		1506258	554.0
08/29/73		1630000	516.0
07/15/74		1704535	527.0
08/17/76		1877633	496.0
01/02/78		1951997	482.0
11/02/78		2004973	482.0
07/02/80		2138660	450.0
05/28/82		2198632	501.0
04/16/86		2299949	480.0
05/08/89		2382735	490.0
06/11/91		2418299	484.0
10/24/91		2425841	472.0
04/06/93		2477843	487.0
04/01/98		2683904	429.0

Original

Current Estimated from P/z data

Page No.: 8
 Print Time: Fri May 08 08:28:39 1998
 Property ID: 168
 Property Name: SAN JUAN 28-5 UNIT | 42 | DAKOTA
 Table Name: S:\ARIES\78LTL\TEST.DBF

--DATE--	--CUM_OIL-- Bbl	---CUM_GAS--- Mcf	M SIWHP Psi	
06/14/60		0	2669.0	Original
08/04/60		0	2668.0	
12/06/60		137000	1785.0	
06/13/61		343000	1412.0	
09/09/62		566000	1542.0	
05/06/63		655000	1537.0	
04/22/64		767000	1502.0	
10/18/65		1152000	1143.0	
10/05/66		1337000	975.0	
05/25/67		1454000	1074.0	
05/27/68		1608000	1035.0	
06/27/69		1771000	657.0	
07/28/70		1855086	1206.0	
06/21/71		1966278	831.0	
06/07/72		2069532	886.0	
08/29/73		2177209	904.0	
09/04/75		2349005	862.0	
06/01/77		2485098	808.0	
06/06/79		2620949	882.0	
05/01/81		2712834	919.0	
11/04/81		2752286	884.0	
02/17/84		2834723	1065.0	
05/17/85		2890529	1030.0	
10/13/88		3017484	1152.0	
04/24/90		3102388	954.0	
03/29/92		3147068	896.0	
04/01/98		3434551	734.0	Current Estimated from P/z data


BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 28-5 Unit #42


Offset Operator/Owner Plat

Mesaverde (S/2) / Dakota (S/2) Formations Commingle Well

Township 28 North, Range 5 West



1) Burlington Resources



PLH 5/7/98

SJ 28-5 Unit 42
Sec. 31, T28N, R5W
Mesaverde/Dakota

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED
BY THE OIL CONSERVATION DIVISION FOR
THE PURPOSE OF CONSIDERING:

CASE NO. 11627
ORDER NO. R-10695

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 28-5 UNIT PURSUANT
TO DIVISION RULE 303.E. AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR,
SAN JUAN COUNTY, NEW MEXICO.

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises,

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant, Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico.

(3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

(4) The applicant is the current operator of the San Juan 28-5 Unit which encompasses some 17,399 acres in Township 28 North, Range 5 West, NMPM, San Juan County, New Mexico.

(5) Within the San Juan 28-5 Unit, the applicant currently operates sixty-seven (67) Basin-Dakota Gas Pool wells, seventy-one (71) Blanco-Mesaverde Gas Pool wells, sixteen (16) Gobernador-Pictured Cliffs, Oso-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and nineteen (19) Basin-Fruitland Coal Gas Pool wells.

(6) According to its evidence and testimony, Burlington seeks to:

- a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
- b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit;

- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit; and,
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 28-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.

(7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 28-5 Unit:

- a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
- b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 1,258 MMCFG and 77 MMCFG, respectively;
- c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 276 MCFGD and 136 MCFGD, respectively; and,
- d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.

(8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit should be properly classified as "marginal".

(9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3,149 psi and 1,143 psi, respectively; and.
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1,059 psi and 714 psi, respectively.

(10) There is sufficient pressure data available within the San Juan 28-5 Unit so as to except pressure criteria as proposed by the applicant.

(11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 28-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:

- a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
- b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.

(12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.

(13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 28-5 Unit the applicant presented evidence and testimony which indicates that:

- a) the interest ownership between two zones within a given wellbore in the San Juan 28-5 Unit is generally not common;
- b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 28-5 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;

- c) providing notice to each interest owner within the San Juan 28-5 Unit of subsequent downhole comminglings is unnecessary and is an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 28-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 28-5 Unit should not violate the correlative rights of any interest owner;
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.

(14) An administrative procedure should be established within the San Juan 28-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.

(15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 28-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico, is hereby approved.


(2) Upon filing of Division Form No. C-107-A's for wells subsequently downhole commingled within the San Juan 28-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.

(3) In order to obtain Division authorization to downhole commingle wells within the San Juan 28-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 28-5 Unit of such proposed commingling.

(4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION



WILLIAM J. LeMAY
Director

S E A L