


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078496
Unit San Juan 26-7 Unit
14-03-001-459



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		<u>Water Fracture</u>	<u>X</u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 8, 1956

Well No. 53 is located 1550 ft. from N line and 1090 ft. from E line of sec. 28
SW Section 28 28N 7W NMPM
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6676 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate molding jobs, cementing points, and all other important proposed work)

9-25-56 Total Depth 5645'. Plug back T.D. 5640'. Point Lookout was perforated at 5488-98, 5576-86, 5597-5605 w/ 4 SPF. Broke casing @ 1983'. Repaired.

9-29-56 Point Lookout was re-perforated @ same int. w/ 2 (J.S.) per foot. No breakdown. Re-perf. 5488-98, 5576-86, 5597-5605 w 2 (J.S.) per foot. No breakdown. Spotted 250 gallons acid @ perf. Fractured 9-30-56 with 58,000 gal. water & 60,000# sand. Breakdown pressure 1500#, max. pr. 2700#, Avg. tr. pr. 1500#. Inj. rate 58 BPM. Flush 5600 gals.

9-30-56 T.D. 5645'. Temp. B.P. @ 5120'. Water fractured Cliff House perforated int. 4838-48, 4972-86, 4994-5010, 5019-27 with 61,000 gals. water & 60,000# sand. Breakdown pressure 1500#, max. pr. 1800#, avg. tr. pr. 1650#. Inj. rate 56 BPM. Flush 5000 gallons.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company El Paso Natural Gas Company


Address Box 997

Farmington, New Mexico

By

Petroleum Engineer

Title





10/10/10