ror (F	eb. 19	61) ———	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

• • • • • • • • • • • • • • • • • • • •
Land Office
Lease No.
Unit Just Bear Way Unit
14-01-601-949

TO ON WELLS

	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF SHOOTING OR ACIDED FOR SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERNAS CHARLES
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	U. S. GEOLOGICAL SURVEY
	(NATURE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CHECK MARK	(NATURE OF REPORT, NOTICE - 1
	<u> (.t.l.s.</u> , 19.72
· ».	S line and ft. from W line of sec.
(½ Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
(Yeld) (County	
The elevation of the derrick floor above sea le	
DETA	ILS OF WORK
(Seets names of and expected depths to objective sands; show si	izes, weights, and lengths of proposed casings; indicate mudding jobs, cement- other important proposed work)
ing points, and all	
on 10-24-99 To a segition 3620.	ting (671') and 95 juints 9 5/4 , 368, 3-48
on 10-24-33 The Legal 3620. *on 21 joints 9 5/6, bot, 3-30 case cosing (2936'), for a total of 116 regular cement with a Gel, 12 1/20 field 10005/30 alimites.	ding (671') and 99 joints 9 5/0, 362, 3-48 Joints (3007') set at 3617' 9/120 sauks Gilsonica/sk and 50 sacks neut.
on 10-24-33 The Lampin 3620'. The 21 joints 9 5/6", bog, 3-30 can coming (2936'), for a total of 116 regular cement with 36 Gel, 12 1/25 field 10009/36 simules. Top of cement by temperature survey	Joints (3007) set at 3017 w/120 sacks Gilsoniw/sk and % sacks next. [959] OIL COM. OIL COM.
on 10-24-00 The Lamping 1620'. The 21 joints (19/6'), bog, 3-30 case cosing (2936'), for a total of 116 regular cement with a Gel, 12 1/20 field 10009/30 minutes. Top of cement by temperature survey	Joints (3007) set at 5017 willows sauces Gilsoniw/sk and 50 seeks next. AULIVID Out con. com. Out con. 3
on 10-24-); The Lampin 1620. In 21 joints 9 9/5, bos, 3-30 and cosing (2936), for a total of 116 regular cement with a Gel, 12 1/20 field 10009/30 minutes. Top of cement by temperature survey lunderstand that this plan of work must receive approval.	Joints (5007) set at 5017 v/120 sauces Gilsoniw/Ek and 50 sacks next. GILSON COM. OIL CON. 3 in writing by the Geological Survey before operations may be commenced.
Company hi The Astural Gas Company	Joints (5007) set at 5017 v/120 sauces Gilsoniw/Ek and 50 sacks next. GILSON COM. OIL CON. 3 in writing by the Geological Survey before operations may be commenced.
I understand that this plan of work must receive approval	Joints (5007) set at 517' v/120 sauss Gilsoniw/fik and 90 sacks next. On COM. On C
Company hi The Astural Gas Company	in writing by the Geological Survey before operations may be commenced.

