





LOCATE WELL CORRECTLY

U. S. LAND OFFICE _____
SERIAL NUMBER _____
LEASE OR PERMIT TO PROSPECT _____UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYU. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

LOG OF OIL OR GAS WELL

Company NEW MEXICO OIL COMPANY Address 1001 1/2 S. 1st St., El Paso, Texas
Lessor or Tract W. L. Taylor Field El Paso State New Mexico
Well No. _____ Sec. 15 T. 4N R. 4E Meridian _____ County El Paso
Location 112 ft. N. of 1/4 Line and 130 ft. E. of _____ Line of 15 Elevation 7117
(Derrick floor relative to sea level)The information given herewith is a complete and correct record of the well and all work done thereon
so far as can be determined from all available records.Signed Frederick SimonDate January 31, 1961Title Drilling Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling _____, 1961 Finished drilling May 7, 1961

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
3-7/8	32	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
3-1/2	26	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
3	20	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
2-3/4	16	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
2-1/2	12	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
2	8	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-3/4	6	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2	4	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4	3	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8	2	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/16	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/32	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/64	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/128	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/256	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/512	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1024	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2048	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4096	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8192	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/16384	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/32768	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/65536	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/131072	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/262144	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/524288	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1048576	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2097152	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4194304	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8388608	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/16777216	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/33554432	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/67108864	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/134217728	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/268435456	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/536870912	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1073741824	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2147483648	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4294967296	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8589934592	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/17179869184	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/34359738368	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/68719476736	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/137438953472	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/274877906944	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/549755813888	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1099511627776	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2199023255552	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4398046511104	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8796093022208	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/17592186044416	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/35184372088832	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/70368744177664	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/140737488355328	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/281474976710656	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/562949953421312	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1125899906842624	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2251799813685248	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4503599627370496	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/9007199254740992	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/18014398509481984	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/36028797018963968	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/72057594037927936	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/144115188075855872	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/288230376151711744	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/576460752303423488	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1152921504606846976	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2305843009213693952	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4611686018427387904	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/9223372036854775808	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/18446744073709551616	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/36893488147419103232	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/73786976294838206464	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/147573952589676412928	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/295147905179352825856	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/590295810358705651712	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1180591620717411303424	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2361183241434822606848	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4722366482869645213696	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/9444732965739290427392	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/18889465931478580854784	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/37778931862957161709568	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/75557863725914323419136	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/151115727451828646838272	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/302231454903657293676544	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/604462909807314587353088	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1208925819614629174706176	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2417851639229258349412352	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4835703278458516698824704	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/9671406556917033397649408	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/19342813113834066795298816	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/38685626227668133590597632	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/77371252455336267181195264	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/154742504910672534362390528	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/309485009821345068724781056	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/618970019642690137449562112	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1237940039285380274899124224	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2475880078570760549798248448	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4951760157141521099596496896	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/9903520314283042199192993792	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1980704062856608439838598784	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/3961408125713216879677197568	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/7922816251426433759354395136	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/15845632502852867518708790272	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/31691265005705735037417580544	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/63382530011411470074835161088	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/126765060022822940149670322176	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/253530120045645880299340644352	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/507060240091291760598681288704	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1014120480182583521197362577408	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2028240960365167042394725154816	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4056481920730334084789450309632	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8112963841460668169578900619264	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/16225927682921336339177801238528	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/32451855365842672678355602477056	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/64903710731685345356711204954112	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/129807421463370690713422409908224	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/259614842926741381426844819816448	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/519229685853482762853689639632896	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1038459371706965525707379279265792	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/2076918743413931051414758558531584	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/4153837486827862102829517117063168	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/8307674973655724205659034234126336	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/1661534994731144841131806846852672	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/3323069989462289682263613693705344	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/6646139978924579364527227387410688	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/13292279957849158729054454774821376	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/26584559915698317458108909549642752	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD
1-1/5316911983139	1	4	AMERICAN	100	JOINT	100			FOR USE IN THE FIELD

Approved by the Board of Directors
1955-56

КОНСТАНТИН

RECEIVED JAN 19 1964

ТРЕЧЕОНЪ ОТ ТИМЯНЪ ПО ДОДА

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

.....

.....

[illegible]

continued

[illegible]

so far as can be determined from all available records.

.....

DATE _____

The summary on this page is for the condition of the well and above site

Completed 1910
Printed 1910

Oil or Gas Sands or Tones

OIL OR GAS SANDS OR ZONES

(1) and (2) are

..... of of

at $\text{mont} \approx 0.7$ at $\text{mont} \approx 0.7$

of $\mathcal{M}_1$ and $\mathcal{M}_2$ is $\mathcal{M}_1 \otimes \mathcal{M}_2$ and $\mathcal{M}_1 \otimes \mathcal{M}_2$ is a $\mathcal{M}_1$ - $\mathcal{M}_2$ bimodule.

IMPORTANT WATER SANDS

1024 JOURNAL OF DOCUMENTATION, vol. 55, no. 6, 2000

No. 8 from No. 4 from

CASINO RECORD

Learning Goal	Weight per Goal	Topic	Stage	Amount	Kind of class	Out and going time	Form	Topic	Purpose
------------------	--------------------	-------	-------	--------	---------------	--------------------	------	-------	---------

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. Changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If piers or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

NUDDING AND CEMENTING RECORD

[illegible]

PLACES AND PLACES

Heating plug—Material	Lead	Dept. 501
Heating plug—Material	Lead	Dept. 501

SHOOTING RECORD

[illegible]

SECRET

test	of test	test and from	test	of test	test were used from
test	of test	test and from	test	of test	test were used from

DATE:

May 8	81.4	May 7	80.0
Production for the first 24 hours was	81.4	Production for the first 24 hours was	80.0
emulsion; 30 water; and 30 sediment.		emulsion; 30 water; and 30 sediment.	
It gas well, cu. ft. per 24 hours		It gas well, cu. ft. per 24 hours	
Gallons gasoline per 1,000 cu. ft. of gas		Gallons gasoline per 1,000 cu. ft. of gas	
Gravity, 86.36		Gravity, 86.36	
Part to producing		Part to producing	
May 8		May 7	

EMPLOYEES

Driller	W. R. Wilson	Driller	T. S. Wood
Driller	W. F. Seitzinger	Driller	

FORMATION RECORD

[illegible]

U. S. LAND OFFICE

SERIAL NUMBER

LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Permian Drilling Company Address 1004 15th Tower Bldg. El Paso, TexasLessor or Tract R. L. Bayless Field Wildcat State New MexicoWell No. 1 Sec. 15 T. 28 R. 1 Meridian N County MoraLocation 330 ft. N of M Line and 330 ft. E of M Line of 15 Elevation 7417
(Derrick floor relative to sea level)The information given herewith is a complete and correct record of the well and all work done thereon
so far as can be determined from all available records.Signed Heiler SimonDate January 31, 1961Title Drilling Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling Jan 5, 1961 Finished drilling Jan 25, 1961

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 235 to 429 No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____

No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10 3/4	32	8	AMCO	4150	Star	Surface			Production
7	22	8	AMCO	1150	Star	4150			Production
4 1/2	18	8	AMCO	1150	Star	4150			Production

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10 3/4	100'	30	Truck		
7	3120'	30			
4 1/2	4150'	30			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 4429' feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

May 8, 1961 Put to producing May 7, 1961The production for the first 24 hours was 87.4 barrels of fluid of which 98% was oil; _____% emulsion; 2% water; and _____% sediment. Gravity, °Bé. 36

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. R. Wilson, Driller T. S. Wood, DrillerW. F. Seitzinger, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	700	700	Point Lookout
700	4285	2585	Mesa Verde
4285	4429	144	Mancos
LEON—	LO—	LOLYT REEL	FORMATION

FORMATION RECORD—Continued

PLEASE OR PERMIT TO PROCEED
SERIAL NUMBER
U.S. LAND OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

[illegible]

RECEIVED
JUN 1961
JUN 1961
JUN 1961

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Location at [S] of [] Line and [E] W. of [] Line of [] Elevation [] ft.
(Insert coordinates if any)

Well No. [] Sec. [] T. [] R. [] Meridian []
Lessor or Tract [] Field [] State []
Company [] Address []

Date _____ Title _____
 Drilling Superintendent

The summary on this page is for the condition of the well at above date.

Commenced drilling _____ 19____
Finished drilling _____ 19____

OIL OR GAS SANDS OR ZONES

(D) $\frac{1}{2} \log 2$

No. 1, from	to	No. 4, from	to
No. 2, from	to	No. 5, from	to
No. 3, from	to	No. 6, from	to

IMPORTANT WATER SANDS

No. 1, from _____ of _____
 No. 2, from _____ of _____
 No. 3, from _____ of _____
 No. 4, from _____ of _____
 No. 5, from _____ of _____

CASING RECORD

Name casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Performed		Purpose
							From	To	
It is of the greatest importance to have a complete history of the well. Please state in detail the dates of reworking, together with the reasons for the work and its results. There was no work done in the casing, made fully, and if any casing was "sidered" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If pumps or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.									
HISTORY OF OIL OR GAS WELL									
U. S. GOVERNMENT PRINTING OFFICE 16-25083-2									

MUDDING AND CEMENTING RECORD

[illegible]

PLUGS AND ADAPTERS

Material	Length	Depth set
Material	Size	

SHOOTING RECORD

[illegible]

TOOLS USED

Rotary tools were used from	feet to	feet, and from	feet to
Cable tools were used from	feet to	feet, and from	feet to

DATE

May 8	9	Put to producing	May 7	10
-------	---	------------------	-------	----

The production for the first 24 hours was 87.4 barrels of fluid of which 89% was oil.

Year	Number of cases	Percentage of total cases
1990	10	10.0
1991	15	15.0
1992	20	20.0
1993	25	25.0
1994	30	30.0
1995	35	35.0
1996	40	40.0
1997	45	45.0
1998	50	50.0
1999	55	55.0
2000	60	60.0
2001	65	65.0
2002	70	70.0
2003	75	75.0
2004	80	80.0
2005	85	85.0
2006	90	90.0
2007	95	95.0
2008	100	100.0
2009	105	105.0
2010	110	110.0
2011	115	115.0
2012	120	120.0
2013	125	125.0
2014	130	130.0
2015	135	135.0
2016	140	140.0
2017	145	145.0
2018	150	150.0
2019	155	155.0
2020	160	160.0
2021	165	165.0
2022	170	170.0
2023	175	175.0
2024	180	180.0
2025	185	185.0
2026	190	190.0
2027	195	195.0
2028	200	200.0
2029	205	205.0
2030	210	210.0
2031	215	215.0
2032	220	220.0
2033	225	225.0
2034	230	230.0
2035	235	235.0
2036	240	240.0
2037	245	245.0
2038	250	250.0
2039	255	255.0
2040	260	260.0
2041	265	265.0
2042	270	270.0
2043	275	275.0
2044	280	280.0
2045	285	285.0
2046	290	290.0
2047	295	295.0
2048	300	300.0
2049	305	305.0
2050	310	310.0
2051	315	315.0
2052	320	320.0
2053	325	325.0
2054	330	330.0
2055	335	335.0
2056	340	340.0
2057	345	345.0
2058	350	350.0
2059	355	355.0
2060	360	360.0
2061	365	365.0
2062	370	370.0
2063	375	375.0
2064	380	380.0
2065	385	385.0
2066	390	390.0
2067	395	395.0
2068	400	400.0
2069	405	405.0
2070	410	410.0
2071	415	415.0
2072	420	420.0
2073	425	425.0
2074	430	430.0
2075	435	435.0
2076	440	440.0
2077	445	445.0
2078	450	450.0
2079	455	455.0
2080	460	460.0
2081	465	465.0
2082	470	470.0
2083	475	475.0
2084	480	480.0
2085	485	485.0
2086	490	490.0
2087	495	495.0
2088	500	500.0
2089	505	505.0
2090	510	510.0
2091	515	515.0
2092	520	520.0
2093	525	525.0
2094	530	530.0
2095	535	535.0
2096	540	540.0
2097	545	545.0
2098	550	550.0
2099	555	555.0
2100		

----- 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1022, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1041, 1042, 1043, 1044, 1045, 1046, 1047, 1048, 1049, 1050, 1051, 1052, 1053, 1054, 1055, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1063, 1064, 1065, 1066, 1067, 1068, 1069, 1070, 1071, 1072, 1073, 1074, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1086, 1087, 1088, 1089, 1090, 1091, 1092, 1093, 1094, 1095, 1096, 1097, 1098, 1099, 1100, 1101,

[illegible]

EMPLOYEES

Driller	W. F. Seitzinger	Driller	T. S. Wood
Driller	W. R. Wilson	Driller	

FORMATION RECORD

[illegible]