

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Alamogordo
District, Alamogordo, New Mexico
Allottee Alamogordo
Lease No. Sec. 11, T. 2S

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<u>Surface</u>	<u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING		
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<u>NOV 13 1961</u>	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
ALAMOGORDO, NEW MEXICO

Alamogordo

November 14, 1961

Well No. 1 is located 640 ft. from S line and 640 ft. from W line of sec. 11

SW 1/4 of Section 11-22S-2W

(34 Sec. and Sec. No.)

(Twp.)

(Range)

10N

(Meridian)

Boyd - Dumas Oil Pool

(Field)

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding, cementing points, and all other important proposed work)

Spudded: 8:00 P. M. September 25, 1961

Set 18-3/4" OD casing at 145' with 150 sacks regular cement. Cement Circulated

Set 7" OD casing at 1774' with 150 sacks 30-70 Fomix with 25 Gal and 12-1/2 fine gillmanite and 1/2 flasks per sack, followed by 50 sacks regular cement. Temperature survey indicated top of cement behind 7" OD casing at 2100'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shelly Oil Company

Address Dumas

Alamogordo, New Mexico

By B. L. Holley

Title District Foreman



