For (I	m 9-	931 a 951)	·	
		· -		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Sant	a Pe	
Lease No.	019	289-a	
Unit San	Juan	28-7	Unit
14-Q	-001-	459	

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 76(FM). is located 990 ft. from (Range) (Meridian) WILLOW (K Sec. and Sec. No.) (Twp.) (Range) (Meridian) WILLOW (Field) (Meridian) WILLOW (Field) (State or Territory) The elevation of the derrick floor above sea level is 500L ft. DETAILS OF WORK (State names of and expected depths to objective sands; show size, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 165'. Ran 4 joints, 10-3/4', 32-75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
(indicate above by check mark nature of report, notice, or other data) Vell No. 76(PM) is located 990 ft. from No. 12 No. 12 No. 12
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Value 12
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Value 12
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Value 12
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Value 12
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) July 12 Jul
Vell No. 76(PM) is located 990 ft. from NM-PM. (W. Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat & Blanco (County or Subdivision) The elevation of the derrick floor above sea level is 6001 ft. DETAILS OF WORK State or and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 155'. Ran 4 joints, 10-3/4", 32.75%, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
(% Sec. and Sec. No.) (% Sec. and Sec. No.) (Twp.) (Range) (Range) (Meridian) (State or Territory)
(% Sec. and Sec. No.) (Twp.) (Range) (Meridian) Wildcat & Blance (Field) (County or Subdivision) he elevation of the derrick floor above sea level is 6001 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 165'. Ren 4 joints, 10-3/4', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
(1/4 Sec. and Sec. No.) Wildcat & Blanco (Field) Richart be (County or Subdivision) Richart be (County or Subdivision) Respective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. Cn 6-21-57. Total Depth 165'. Ran 4 joints, 10-3/4'', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
Wildcat & Blanco (County or Subdivision) he elevation of the derrick floor above sea level is 6801. ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 155'. Ban 4 joints, 10-3/4'', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular coment circulated to surface.
(State or Territory) he elevation of the derrick floor above sea level is 6001 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 165'. Ran 4 joints, 10-3/4'', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ing points, and all other important proposed work) Spud date 6-20-57. On 6-21-57. Total Depth 165'. Ran 4 joints, 10-3/4'', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
On 6-21-57. Total Depth 185'. Ran 4 joints, 10-3/4'', 32.75#, S.W. casing (163') set at 175' with 150 sacks regular cement circulated to surface.
OF COMPANY
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be supposed.
Kl Peso Wetural Gas Co.
ompany