## orm 9-331 a (Feb. 1951)

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau 42-R358.2. Approval expires 12-31-52.
Land Offic	. 791.92
Lease No.	San Juan 20-5 Unit
Unit	14.48-201-1051

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASING  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  CLOSE 13,	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASING  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  Ctober 13,	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	1
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  ctober 13,	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
ctober 13,	
ctober 13,	
	, 13 <u>.54</u>
Vell No. 14 is located 1650 ft. from $\begin{bmatrix} 1050 \\ S \end{bmatrix}$ line and 1550 ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line of	sec. <u>17</u>
279 F 217	
Sw cection 17 SN Sw NAPM (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)	: a.c.
Rio Arribe New Mexi	
(Field) (County or Subdivision) (State or Territory)	
he elevation of the derrick floor above sea level is 6626 ft.	
DETAILS OF WORK	
	lding jobs, cement-
It is intended to drill a well with rotary tools through the Mess Ve the pay with gas circulation and to sand-oil fracture the entire Mess	sa Verde.
It is intended to drill a well with rotary tools through the Mesa Ve the pay with gas circulation and to sand-oil fracture the entire Mesa Total Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to	Dir. A gray rate a
It is intended to drill a well with rotary tools through the Mess Ve the pay with gas circulation and to sand-oil fracture the entire Mess Total Depth 5760'.	Dir. A gray rate a
It is intended to drill a well with rotary tools through the Mesa Ve the pay with gas circulation and to sand-oil fracture the entire Mesa Total Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to	Dir. A gray rate a
It is intended to drill a well with rotary tools through the Mess Verthe pay with gas circulation and to sand-oil fracture the entire Mess Total Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.	Dir. A gray rate a
It is intended to drill a well with rotary tools through the Messa Verthe may with gas circulation and to sand-oil fracture the entire Messard Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The 4/2 of Section 17 is dedicated to this well.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be	surface.
It is intended to drill a well with rotary tools through the Messa Verthe pay with gas circulation and to sand-oil fracture the entire Messard Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The W/2 of Section 17 is dedicated to this well.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be	surface.
It is intended to drill a well with rotary tools through the Mesa Verthe pay with gas circulation and to sand-oil fracture the entire Mesa Total Depth 5760'.  Casing crogram:  9 5/8 at 170' with L25 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The 4/2 of Section 17 is dedicated to this well.  SF 979192 - /c.  Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be Company  El Taso Retural Gas Company	surface.
it is intended to drill a well with rotary tools through the Mean Verthe pay with gas circulation and to sand-oil fracture the entire Mean Total Depth 5760'.  Casing Program:  9 5/8 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The 4/2 of Section 17 is dedicated to this well.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be company  El aso Retural Gas Company  Address Ex 397	surface.
It is intended to drill a well with rotary tools through the Mean Verthe May with Sas circulation and to sand-oil fracture the entire Men Total Depth 5760'.  Casing Program:  9 5/3 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The 4/2 of Section 17 is dedicated to this well.  3F 979192 - 1/2.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be Company  El Maso Retural Gas Company  Address Box 997  Farmington, New Sexico By Level 1	surface.
Total Depth 5760'.  Casing rrogram: 9 5/8 at 170' with 125 sacks regular cement circulated to 7 at 5015' with 500 sacks regular cement.  The W/2 of Section 17 is dedicated to this well.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be Company  El aso Retural Gas Company  Address B. x 297	surface.