

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☐ Federal ☐ Fee ☐
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-	7. Unit Agreement Name San Juan 28-6 Unit
2. Name of Operator El Paso Natural Gas Company	8. Farm or Lease Name San Juan 28-6 Unit
3. Address of Operator Box 990, Farmington, New Mexico - 87401	9. Well No. 14 (P & A)
4. Location of Well UNIT LETTER K 1650 FEET FROM THE South LINE AND 1550 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 28N RANGE 6W NMPM.	10. Field and Pool, or Wildcat Blanco Mesa Verde
15. Elevation (Show whether DF, RT, GR, etc.) 6616' GL	12. County Rio Arriba

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Casing Inspection Logs indicate that it would not be feasible to re-work this well because of severely corroded casing, therefore it is planned to plug and abandon this well in the following manner:


Spot a 100 cu. ft. cement plug on bottom to cover open hole section.

Spot a 185 cu. ft. cement plug from 2700' - 1900' to cover corroded casing.

Apply pressure at the surface to squeeze open hole and casing holes.

Spot a cement surface plug w/4' x 4" P & A marker.

Clean up and level location.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original Signed F. H. WOOD TITLE Petroleum Engineer DATE 6-28-68

APPROVED BY *A. R. Kendrick* TITLE Assistant Engineer DATE 7-2-68
CONDITIONS OF APPROVAL, IF ANY:

Place mud laden fluid between cement plugs.