Form 9-331.a. (Feb. 1951)					
		1			
				·	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Office	Sant	ı Pe			
Lease	No	0805	16			
Unit	San	Jana	25-5	Uni		
	14-0	L4-08-001-9kg				

	SUNDRY NOTIO	CES AND REPORTS ON WELLS
NOTICE OF IN NOTICE OF IN NOTICE OF IN NOTICE OF IN	ITENTION TO DRILL ITENTION TO CHANGE PLANS. ITENTION TO TEST WATER SHUT-OFF. ITENTION TO RE-DRILL OR REPAIR WITENTION TO SHOOT OR ACIDIZE ITENTION TO PULL OR ALTER CASING ITENTION TO ABANDON WELL.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING ELL SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
	(INDICATE ABOVE BY	CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
	(INDICATE ABOVE BY	FRECK MANK NATURE OF REPORT, NOTICE, OR OTHER DATA)
		January 15, 1956
Well No.	10 is located 1650	1 ft. from S line and 1653 ft. from W line of sec. 15
Section Of Sec	on 15 288 and Sec. No.) (Twp.	.) (Range) (Meridian)
Blanco	and sec. No.) (1 wp.	
	(Field)	(County or Subdivision) (State or Territory)
perforati Breakdow	ctured Cliff House fo lone, 4 holes per foot pressure none, wenty	mry bridge plug at 5450°. crusticm. Treated interval 5324-5396 (through casing t) with 60,900 gallons water and 45,000 fine sand. sum and average treating pressures 1500 psi average. Plushed with 5400 gallons water.
I understand	that this plan of work must receive	approval in writing by the Geological Survey before operations may be commenced.
Company	El Paso Batural Gas	Совермау
Address	Box 997	
	Farmington, New Mexi	co By 2. S. Cherry
	***************************************	Title Fetroleum Engineer

U. S. GOVERNMENT PRINTING OFFICE 16-8437-5

÷