

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Sundry Notices and Reports on Wells

DEC 22 PM 2:45

1. Type of Well
 GAS

2. Name of Operator

**BURLINGTON
 RESOURCES**

OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

1650' FNL, 990' FEL, Sec.18, T-28-N, R-5-W, NMPM

5. Lease Number
 SF-079250

6. If Indian, All. or
 Tribe Name

7. Unit Agreement Name
 San Juan 28-5 Unit

8. Well Name & Number
 San Juan 28-5 U #61

9. API Well No.
 30-039-07427

10. Field and Pool
 Basin Dakota /MV

11. County and State
 Rio Arriba Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☒ Notice of Intent

☐ Abandonment

☐ Change of Plans

☐ Subsequent Report

☒ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other -

13. Describe Proposed or Completed Operations

It is intended to recomplate the subject well according to the attached procedure.

14. I hereby certify that the foregoing is true and correct.

Signed

[Signature]

Title Regulatory Administrator Date 11/15/99

(This space for Federal or State Office use)

APPROVED BY

Title

Date

12/20/99

CONDITION OF APPROVAL, if any:

ch se

NMOCD

✓

16						17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief <u>Peggy Cole</u> Signature <u>Peggy Cole</u> Printed Name <u>Regulatory Administrator</u> Title <u>11-18-99</u> Date
						18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number

SUNDRY NOTICE SUBMITTAL

Well: San Juan 28-5 Unit #61

Unit 1, Sec. 18, T 28N, R 5W

Rio Arriba, NM

It is intended to recomplete the Mesaverde formation in the existing Dakota wellbore. A rig will MIRU, ND wellhead, NU BOP, and pull production tubing. A CIBP will be set above the Dakota formation at approximately 6220'.

If adequately isolated by cement, the Mesaverde will be perforated and fracture stimulated in three stages in the following interval: 4178' - 6120'. If cement remediation operations are necessary, Burlington Resources will contact the appropriate regulatory agency for approval prior to work initiation.

After stimulation flowback, the CIBP above the Dakota will be drilled out and tubing will be landed approximately 100' above PBTD. The well will then produce commingled production for the Mesaverde and Dakota formations. Application for commingling will be submitted.

Approved:

Bruce W. Boyer
Drilling Superintendent

11-10-99
Date