

# B. & R. SERVICE, INC.

## TEMPERATURE SURVEY

COMPANY..... EL PASO NATURAL GAS COMPANY  
 WELL SAN JUAN 28-5 # 31 FIELD  
 COUNTY RIO ARRIBA STATE NEW MEXICO  
 SEC..... TWP..... RGE.....

APPROX. TOP CEMENT..... 4601'


Survey Begins at 4000 Ft. Ends at 6627 Ft.  
 Approx. Fill-Up Max. Temp. 127° @ 6627'  
 Log Measured From R.T. Run No. ONE

Casing Size	Casing Depth	Diam of Hole	Depth
5½" from 4601' to 6767'		6¾" from	to
from	to	from	to

Date of Cementing AUGUST 11, 1958 Time 5:15 A.M.  
 Date of Survey AUGUST 11, 1958 Time 2:00 P.M.  
 Amount of Cement 300 SACKS Type POZMIX & REG.  
 Amount of Admix 6% GEL  
 Recorded by WILSON Witnessed by R. L. COY

REMARKS OR OTHER DATA  
 5½" LINER HUNG FROM 4601' TO 6767'

### TEMPERATURE IN DEGREES FAHRENHEIT



# B. & R. SERVICE, INC.

## TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY

WELL SAN JUAN 28-5 # 31 FIELD

COUNTY RIO ARRIBA STATE NEW MEXICO

SEC.  TWP.  RGE.

APPROX. TOP CEMENT 4601'

Survey Begins at 4000 Ft. Ends at 6627 Ft.

Approx. Fill-Up  Max. Temp. 127° @ 6627'

Log Measured From R.T. Run No. ONE

Casing Size	Casing Depth	Diam of Hole	Depth
<u>5½"</u> from <u>4601'</u> to <u>6767'</u>		<u>6¾"</u> from <u></u> to <u></u>	
from <u></u> to <u></u>		from <u></u> to <u></u>	

Date of Cementing AUGUST 11, 1958 Time 5:15 A.M.

Date of Survey AUGUST 11, 1958 Time 2:00 P.M.


Amount of Cement 300 SACKS Type POZMIX & REG.

Amount of Admix 6% GEL Type

Recorded by WILSON Witnessed by MC COY

### REMARKS OR OTHER DATA

5½" LINER HUNG FROM 4601' TO 6767'



## TEMPERATURE IN DEGREES FAHRENHEIT

4000	60°	80°	100°	120°	140°
4100					

4200

4300

4400

4500

4600

4700

4800


4900


5000

5100

5200

ANOMALY 4601'





6400

6500

6600

6700

T D SURVEYED 6627'