

**APPROVED**

|                   |
|-------------------|
| AUG 20 1956       |
| JERRY W. LONG     |
| DISTRICT ENGINEER |

USGS  
Johnston  
file

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYBudget Bureau No. 42-R358.4.  
Approval expires 12-31-60.Land Office Santa Fe  
Lease No. SP 079727-4  
Unit 28-4  
#14-05-001-933

## SUNDRY NOTICES AND REPORTS ON WELLS

|   |                                     |   |  |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL.....                   |                                     | SUBSEQUENT REPORT OF WATER SHUT-OFF.....        |  |
| NOTICE OF INTENTION TO CHANGE PLANS.....            | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... |  |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     |                                     | SUBSEQUENT REPORT OF ALTERING CASING.....       |  |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... |                                     | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... |  |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        |                                     | SUBSEQUENT REPORT OF ABANDONMENT.....           |  |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    |                                     | SUPPLEMENTARY WELL HISTORY.....                 |  |
| NOTICE OF INTENTION TO ABANDON WELL.....            |                                     |   |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 22,

1956

Well No. 6-11 is located 1075 ft. from S line and 925 ft. from E line of sec. 11S 2/4 SE/4 11 28N 4W EDPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildcat FC & NW Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

Ungraded Ground

The elevation of the ~~drill hole~~ above sea level is 7346.9 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to pull 2 3/8" OD tubing, re-dress the Baker model D stinger, and re-locate the Otis side door choke from 4306', down to 5630', approx. 33' above the Baker model D pecker, which is set at 5663'. We will then sand the well in, and re-test.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pacific Northwest Pipeline Corp.Address 405 1/2 W. BroadwayFarmington, New MexicoBy J. H. MeyerTitle District Engineer

2000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01

1000-01-01