Form 9-331 a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Off	ice	outa.	Ke	
Lease No		17929	ت	
Unit :	Sun	สโปลก	26-3	Mode

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO TEST WATER SHUT-OFF		
Subsequent report of altering casing. NOTICE OF INTENTION TO REDRILL OF REPAIR WELL NOTICE OF INTENTION TO REDRILL OF REPAIR WELL NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO DULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 12 is located 1650 ft. from SI line and 155 ft. from Willing of sec. 16 OK OCCION 10 200 70 (Report Of Report Of	NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPAIR NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUPPLEMENTARY WELL HISTORY. SUPPLEMENTARY	NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
Supplementary well history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 12 is located 1050 ft. from Signature of history. Well No. 15 is located 1050 ft. from Signature of history. Well No. 16 is located 1050 ft. from Signature of history. Well No. 17 is located 1050 ft. from Signature of history. Well No. 18 is located 1050 ft. from Signature of history. Well No. 19 is located 1050 ft. from Signature of history. Well No. 19 is located 1050 ft. from Signature of history. Well No. 19 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Signature of history. Signature of history. Well No. 10 is located 1050 ft. from Signature of history. Signature of history.	NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
Suprementary well history. Suprementary well history. Suprementary well history.	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REFORT OF RE-DRILLING OR REPAIR
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 12 is located 1650 ft. from Si line and 915 ft. from Si line of sec. 16 Si rection 10 28	NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) **Extl 12** Indicate Above By Check Mark Nature of Report, Notice, OR OTHER DATA) Indicate Above By Check Mark Nature of Report, Notice, OR OTHER DATA Indicate Above By Check Mark Nature Indicate Above By Check Indicate By C	NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
/ell No. 12 is located 1650 ft. from S line and 915 ft. from S line of sec. 16 j. cettor 10 20 (Rune) (Rune) (Merdian) Blance (Field) (County or Subdivision) (State or Territory) the elevation of the derrick floor above sea level is 666 ft. DETAILS OF WORK tate names of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands which is shown in the large of the la	NOTICE OF INTENTION TO ABANDON WELL	
/ell No. 12 is located 1650 ft. from S line and 915 ft. from S line of sec. 16 j. cettor 10 20 (Rune) (Rune) (Merdian) Blance (Field) (County or Subdivision) (State or Territory) the elevation of the derrick floor above sea level is 666 ft. DETAILS OF WORK tate names of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or large of and expected depths to objective sands which is shown in the large of the la		
/ell No. 19 is located 1650 ft. from S line and 215 ft. from S line of sec. 16 S Coction 10 S S S S S S S S Composition of the derick floor above sea level is 6665 ft. DETAILS OF WORK	(INDICATE ABOVE BY CHECK MA	ARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
Well No. 10 is located 1650 ft. from [8] line and 215 ft. from [W] line of sec. 16 10. cetter 10 201 5		aril 12 . 1957
Chi. action 10 200 j. (Twp.) (Range) (Meridian) Blance (Field) Rio Arribe (State or Veritory) the elevation of the derrick floor above sea level is 6666. If. DETAILS OF WORK tate names of and expected depths to objective mands; show size, weights, and lengths of proposed casings; indicate mudding jobs, or inspoints, and all other important proposed work) It is intended to drill a well with rotary tools thru the Mesa Verde forms Maid circulation will be used thru the Mesa Verde and irod.csg. will rossible productive intervals will be perforated and fractured. Eat. T.D. Casing Program: 10-3/4 at 170' with 125 sacks cement circulated to the surface 7-5/6" at 3705' with 250 sacks cement. 5-1/2 at 5975' with 150 sacks cement. 3-1/2 at 5975' with 150 sacks cement.) //
Blance (Field) (County of Subdivision) (State of Territory) the elevation of the derrick floor above sea level is 6665 ft. DETAILS OF WORK that names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or in proposed work) It is intended to drill a well with rotary tools thru the Hesa Verde forms had circulation will be used thru the Hesa Verde and rod.csg. will fossible productive intervals will be perforated and fractured. Eat. T.D. Casing Program: 10-3/4 at 170' with 125 sacks coment circulated to the surface 7-5/0" at 3705' with 250 sacks coment. 5-1/2" at 5973' with 150 sacks coment. All of Section 10 is dedicated to this well. Dec. 10, 37 079250. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations and be common ompany. All has Santural Gas Co. By Original Signal Will 1970. Earnington, New Nexico. By Original Signal Will 1970.		om $\begin{pmatrix} \mathbf{N} \\ \mathbf{S} \end{pmatrix}$ line and 22.5 ft. from $\begin{pmatrix} \mathbf{E} \\ \mathbf{W} \end{pmatrix}$ line of sec. 10
Blance (Field) (County of Subdivision) (State of Territory) he elevation of the derrick floor above sea level is 6665 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, configuration of an indicate mudding jobs, configur	Discetion 10 2KB	Zvi W.M. t.M.
DETAILS OF WORK tate names of and expected depths to objective sands; show size, weights, and lengths of proposed casings; indicate mudding jobs, or impoints, and all other important proposed work) It is intended to drill a well with rotary tools thru the Beas Verde forms Maid circulation will be used thru the Beas Verde forms Maid circulation will be used thru the Beas Verde and set intermediate ing. Gas circulation will be used thru the Beas Verde and irod.csg. will rossible productive intervals will be perforated and fractured. Est. T.D. Casing Program: 10-3/4 at 170' with 125 sacks cement circulated to the surface 7-5/5' at 3705' with 250 sacks cement. 5-1/2' at 5975' with 150 sacks cement. All of Section 10 is dedicated to this well. Sec. 10, 37 079250. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before open form males common ompany. All rass Satural Gas Co. By Outgast Stone IV 111 VA. By Outgast Stone IV 111 VA. By Outgast Stone IV 111 VA.		
DETAILS OF WORK tate names of and expected depths to objective sands; show size, weights, and lengths of proposed casings; indicate mudding jobs, of inspection of an all other important proposed work). It is intended to drill a well, with rotary tools thru the Beas Verde forms Maid circulation will be used thru the Beas Verde and set intermediate ing. Gas circulation will be used thru the Beas Verde and irod.csg. will rossible productive intervals will be perforated and fractured. Est. T.D. Cosing irogram: 10-3/4 at 170' with 125 sacks cement circulated to the surface 7-5/5' at 3705' with 250 sacks cement. 5-1/2' at 5975' with 150 sacks cement. 3-1/2' at 5975' with 150 sacks cement. 2-1/2' at 5975' with 150 sacks cement. 3-1/2' at 5975' with 150 sacks cement.	Blanc Ried (Cour	Arribe Hey Maxico
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, or ing points, and all other important proposed work) It is intended to drill a well with rotary tools thru the Mesa Verde forms and circulation will be used thru the Fictured Cliffs and set intermediate ing. One circulation will be used thru the Fiesa Verde and irod.csg. will rossible productive intervals will be perforated and fractured. Eat. T.D. Coming Program: 10-3/4 at 170' with 125 sacks coment circulated to the surface 7-5/0" at 3705' with 250 sacks coment. 5-1/2' at 5975' with 150 sacks coment. 3-1/2' at 5975' with 150 sacks coment.		
ompany dl reso Matural Gos Co. Idress Box 997 Farainston, New Mexico By Onignal Signal William WA	ate names of and expected depths to objective sands; show ing points, and a lit is intended to drill a well with Mad circulation will be used thrusting. Gas circulation will be use Possible productive intervals will Casing Program: 10-3/4 at 170' with 7-5/6" at 3705' with 5-1/2" at 5975' with Mall of Section 10 is dedicated to	vsizes, weights, and lengths of proposed casings; indicate mudding jobs, cementall other important proposed work) Ith rotary tools thru the Hesa Verde formation in the Fictured Cliffs and set intermediate cased binu the Hesa Verde and Produces, will be set in the Hesa Verde and Produces, will be set in the perforated and fractured. Eat. T.D. 5975 125 sacks cement circulated to the surface. 250 sacks cement. 150 sacks cement.
Paralagton, New Mexico By Odgand Signal LV This to War		
	MANUEL MA	
	Farmington, New Mexico	
Title Between East weer	- · · · · · · · · · · · · · · · · · · ·	By
上 【 【 【 】		Ву



AND INTERPORT OF THE SOCIETY


WELLE FOR A CONTRACT OF A CONTRACT OF A

APRIL 9, 1957 EL PASO NATURAL GAS COMPANY SAN JUAN 28-5 UNIT SF 079250 19 10 5-W 28-N 1650 SOUTH 915 WEST RIO ARRIBA 6656 MESA VERDE

New Astronomy of the

BLANCO

28138 ACRES (1917 PLAT)



NO111

It as a site controlly to at the above and is end to, in order four note of notical curveys made to be exploited as upervalues and that the source are true spells reed to disher riof was knowledge, and belief.

The first war a found of my .

X Ye ____ _ ____

2 House Cover & Joseph School and seek a last of the real case within a facility bear der see

Original Signed EWELL N. WALSH

Person Patroleum Engineer

to provide a El Paso Satural Cas

Villess Box 997 - Parmington, N.N.

(Some

Farmington, New Mexico.