

05

District I	State Of New Mexico	SUBMIT 1 COPY TO
P.O. Box 1980, Hobbs, NM	Energy, Minerals and Natural Resources Department	APPROPRIATE
District II		DISTRICT OFFICE
P.O. Drawer, Artesia, NM 88211	OIL CONSERVATION DIVISION	AND 1 COPY TO
District III	P.O. Box 2088	SANTA FE OFFICE
1000 Rio Brazos Rd. Aztec, NM 87410	Santa Fe, New Mexico 87504-2088	(Revised 3/9/94)

PIT REMEDIATION AND CLOSURE REPORT

Operator: <u>Conoco Inc.</u>	Telephone: <u>505-324-5837</u>
Address: <u>3315 Bloomfield Hwy - Farmington, NM 87401</u>	
Facility Or: <u>San Juan 28-7 #193</u>	
Well Name _____	
Location: Unit or Qtr/Qtr Sec _____	Unit M _____ Sec _____ T <u>28</u> R <u>2</u> <u>7W</u> County _____ Rio Arriba
Pit Type: Separator <u>X</u>	Dehydrator _____ Other _____
Land Type: BLM <u>X</u> State _____	Fee _____ Other _____
Pit Location: (Attach diagram)	Pit dimension: length <u>12'</u> width <u>12'</u> depth <u>3'</u> Reference: wellhead <u>X</u> other _____ Footage from reference: <u>95'</u> Direction from reference: <u>360</u> Degrees _____ East of <u>X</u> North _____ West _____ South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points) Total <u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points) No (0 points) Total <u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points) (20 points) 200 feet to 1000 feet (10 points) (10 points) Greater than 1000 feet (0 points) (0 points) Total <u>0</u> RANKING SCORE (TOTAL POINTS): <u>0</u>

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Conoco	Project #:	97070-003-411
Sample ID:	Vent Pit	Date Reported:	11-05-01
Laboratory Number:	21398	Date Sampled:	10-27-01
Chain of Custody:	9607	Date Received:	11-01-01
Sample Matrix:	Soil	Date Analyzed:	11-05-01
Preservative:	Cool	Date Extracted:	11-05-01
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	171	1.7
Ethylbenzene	137	1.5
p,m-Xylene	544	2.2
o-Xylene	554	1.0
Total BTEX	1,410	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28 - 7 #193 3' Bottom Center.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Conoco	Project #:	97070-003-411
Sample ID:	Vent Pit	Date Reported:	11-05-01
Laboratory Number:	21398	Date Sampled:	10-27-01
Chain of Custody No:	9607	Date Received:	11-01-01
Sample Matrix:	Soil	Date Extracted:	11-05-01
Preservative:	Cool	Date Analyzed:	11-05-01
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4.9	0.2
Diesel Range (C10 - C28)	38.9	0.1
Total Petroleum Hydrocarbons	43.8	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: 28-7 #193 3' Bottom Center.


Analyst


Review

09607


ENVIROTECH INC.

5796 U.S. Highway 64
Farmington, New Mexico 87401
(505) 632-0615

Lease Name: San Juan 28-7 # 193

Operator: David Hartman

Date: 10-25-01



Lease Name: San Juan 28-7 #193

Federal/ Indian Lease No:

SF 078498

CA No.:

Unit : M

Legal Description: S-28, T-27N, R-7W

County: Rio Arriba County

Load line valves :
Sealed during Production

Drain line valves :
Sealed during Production

Production Line valve:
Sealed during sales

This lease is subject to the site security plan for
San Juan Basin Operations. The plan is located at:
Conoco Inc.
3315 Bloomfield Hwy
Farmington, NM