## UNITED STATES

ABANDON\* [] (other) Plug original hole and sidetrack x

DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY	OF THE INTERIOR SF 079294			
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME San Juan 28-7 Unit 8. FARM OR LEASE NAME			
1. oil gas well other	San Juan 28-7 Unit 9. WELL NO.			
2. NAME OF OPERATOR  EL PASO NATURAL GAS CO.  3. ADDRESS OF OPERATOR	227  10. FIELD OR WILDCAT NAME  Basin Dakota			
BOX 289, FARMINGTON, NEW MEXICO  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 36, T-28-N, R-7-W			
AT SURFACE: 810'N, 820'E AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12. COUNTY OR PARISH 13. STATE Rio Arriba New Mexico 14. API NO.			
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 6626'GR			
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:  TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)			

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Due to hole conditions, the original hole was plugged as follows:

5/20/77: T.D. 7838'. Spotted 100 sks cement plug at 6050' and set cement retainer near the bottom of the 7" and squeezed the Mesa Verde formation w/350 sks of cement.

3/21/77: Drilled retainer and cement to 3708', set whipstock at 3708' and started drilling sidetrack.

Subsurface Safety Valve: Manu. and Type			Set @ Ft.
18. I hereby certify that the foregoing is to		DATE	1/8/79 CIL 5/13/3
	(This space for Federal or State office use)		
APPROVED BY	TITLE	_ DATE	

\*See Instructions on Reverse Side