

*Denney & ...*  
DEPUTY OIL & GAS INSPECTOR

DEC 29 1997

*Approved*

Meter Number: 90061  
Location Name: VALENCIA CANYON UNIT #14  
Location: TN-28 RG-04  
SC-23 UL-D  
2 - Federal  
NMOCD Zone: OUTSIDE  
Hazard Ranking Score: 00

RECEIVED  
APR 14 1997

OIL CON. DIV.  
DIST. 3

### **RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	$10^{-9}$ to $10^{-13}$ cm/sec
Shale	$10^{-12}$ to $10^{-16}$ cm/sec
Clay	$10^{-12}$ to $10^{-15}$ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

# FIELD PIT SITE ASSESSMENT FORM




GENERAL	<p>Meter: <u>90061</u> Location: <u>VALENCIA CANYON UNIT #14</u></p> <p>Operator #: <u>0203</u> Operator Name: <u>AMOCO</u> P/L District: <u>BLOOMFIELD</u></p> <p>Coordinates: Letter: <u>D</u> Section <u>23</u> Township: <u>28</u> Range: <u>4</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Pit Type: Dehydrator _____ Location Drip: <input checked="" type="checkbox"/> Line Drip: _____ Other: _____</p> <p>Site Assessment Date: <u>2.23.95</u> Area: <u>10</u> Run: <u>62</u></p>
SITE ASSESSMENT	<p><b>NMOCD Zone:</b> (From NMOCD Maps)</p> <p>Inside <input type="checkbox"/> (1) Outside <input checked="" type="checkbox"/> (2)</p> <p><b>Land Type:</b> BLM <input type="checkbox"/> (1) State <input type="checkbox"/> (2) Fee <input type="checkbox"/> (3) Indian _____ FOREST <input checked="" type="checkbox"/> (5)</p> <p><b>Depth to Groundwater</b></p> <p>Less Than 50 Feet (20 points) <input type="checkbox"/> (1) 50 Ft to 99 Ft (10 points) <input type="checkbox"/> (2) Greater Than 100 Ft (0 points) <input checked="" type="checkbox"/> (3)</p> <p><b>Wellhead Protection Area :</b> Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? <input type="checkbox"/> (1) YES (20 points) <input checked="" type="checkbox"/> (2) NO (0 points)</p> <p><b>Horizontal Distance to Surface Water Body</b></p> <p>Less Than 200 Ft (20 points) <input type="checkbox"/> (1) 200 Ft to 1000 Ft (10 points) <input type="checkbox"/> (2) Greater Than 1000 Ft (0 points) <input checked="" type="checkbox"/> (3)</p> <p>Name of Surface Water Body _____</p> <p>(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)</p> <p>Distance to Nearest Ephemeral Stream <input type="checkbox"/> (1) &lt; 100' (Navajo Pits Only) <input type="checkbox"/> (2) &gt; 100'</p> <p><b>TOTAL HAZARD RANKING SCORE:</b> <u>0</u> POINTS</p>
REMARKS	<p>Remarks : <u>REDLINE &amp; TOPO SHOW LOCATION OUTSIDE V.Z. THREE</u> <u>PITS ON LOCATION. LOCATION DRIP BELONGS TO EPAIG. WILL CLOSE</u> <u>PIT.</u></p> <p style="text-align: right;"><b>PUSH IN</b></p>

ORIGINAL PIT LOCATION

## ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 31° Footage from Wellhead 96'  
b) Length : 16' Width : 16' Depth : 2'



REMARKS

Remarks :

PHOTOS -

---

---

---

---

---

---

---

---

---

---

Completed By:

Robert Thompson  
Signature

2.23.95  
Date

# FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	<p>Meter: <u>90061</u> Location: <u>Valencia Canyon unit #14</u></p> <p>Coordinates: Letter: <u>D</u> Section <u>23</u> Township: <u>28</u> Range: <u>4</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Date Started : <u>3/16/95</u> Run: <u>10</u> <u>62</u></p>
FIELD OBSERVATIONS	<p>Sample Number(s): <u>KD 393</u></p> <p>Sample Depth: <u>4'</u> Feet</p> <p>Final PID Reading <u>236 ppm</u> PID Reading Depth <u>4'</u> Feet</p> <p>Yes No</p> <p>Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet</p>
CLOSURE	<p>Remediation Method :</p> <p>Excavation <input type="checkbox"/> Approx. Cubic Yards <u>0</u></p> <p>Onsite Bioremediation <input type="checkbox"/></p> <p>Backfill Pit Without Excavation <input checked="" type="checkbox"/></p> <p>Soil Disposition:</p> <p>Envirotech <input type="checkbox"/> Tierra <input type="checkbox"/></p> <p>Other Facility <input type="checkbox"/> Name: _____</p> <p>Pit Closure Date: <u>3/16/95</u> Pit Closed By: <u>BET</u></p>
REMARKS	<p>Remarks : <u>Dug Test Hole to</u> <u>Took PID Sample,</u></p> <p><u>Close pit. Hit sandstone at 4'</u></p>
	<p>Signature of Specialist: <u>Kenny Dean</u></p>



**FIELD SERVICES LABORATORY  
ANALYTICAL REPORT**

**PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone**

**SAMPLE IDENTIFICATION**

	Field ID	Lab ID
SAMPLE NUMBER:	KD 393	946735
MTR CODE   SITE NAME:	90061	N/A
SAMPLE DATE   TIME (Hrs):	3-16-95	1200
SAMPLED BY:	N/A	
DATE OF TPH EXT.   ANAL.:	<sup>KD</sup> 3/17/95 <del>WTA</del> 3/23/95	<sup>KD</sup> 3/17/95 <del>WTA</del> 3/23/95
DATE OF BTEX EXT.   ANAL.:	N/A	N/A
TYPE   DESCRIPTION:	VG	gray/brown sand + clay

REMARKS:

**RESULTS**

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	26800	MG/KG			0.37	28
HEADSPACE PID	263	PPM				
PERCENT SOLIDS	82.3	%				

-- TPH is by EPA Method 418.1 --

Narrative:

DF = Dilution Factor Used

Approved By:

J. J.

Date:

3-24-95

Test Method for  
Oil and Grease and Petroleum Hydrocarbons  
in Water and Soil

Perkin-Elmer Model 1600 FT-IR  
Analysis Report

95/03/23 10:33

Sample identification  
946735

(c) Initial mass of sample, g  
0.370

Volume of sample after extraction, ml  
25.000

Petroleum hydrocarbons, ppm  
24776.636

Net absorbance of hydrocarbons (2930  $\text{cm}^{-1}$ )  
0.619

4. Petroleum hydrocarbons spectrum

