Form 3160-5 (June 1990)

representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT - " for such proposals			5. Lesse Designation and Serial No. SF 079290	
1. Type of Well Oil Gas Well Other			B. Well Name and No.	
			SAN JUAN 28-7 #258	
		I-CARLEY	9. API Well No.	
3. Address and Telephone No.			3004521735	
P.O. Box 800, Denver, Colorado 80201		830-4542	10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			BASIN DA	KOTA
2480 FSL 1615FWL	Sec. 23 T 28N R 7W	UNIT K	11. County or Parish, State	
			RIO ARRIBA	NEW MEXICO
12. CHECK APPROPRI	ATE BOX(s) TO INDICATE NATUR	RE OF NOTICE, RE	PORT, OR OTHER	DATA
TYPE OF SUBMISSION TYPE OF ACTION				
M	Abandonment		Change of Plans	
Notice of Intent	Recompletion Prugging Back		New Construction	
Subsequent Report	Casing Repair		Non-Routine Fracturing Water Shut-Off	
	Altering Casing Other REPERF		Conversion to Injection	
Final Abandonment Notice	Other NEFERF		Dispose Water t results of multiple completion on	Well Completion or
			Report and Log form.)	· · · · · · · · · · · · · · · · · · ·
subsurface locations and measured and true	Clearly state all pertinent details, and give pertinent dates, inclusering a light pertinent dates, inclusering a light pertinent to this work PANY REQUESTS APRROVAL TO IMPLEM	(.)*		
			OFO EVENTAGION, NM	
14. I hereby certify that the foregoing is true and of Signed August True (This space for Federal or State office use)	Title	BUSINESS ANA	APPRO	02-07-1994 V E D
Approved by Conditions of approval, if any:		FEB 1 0 1994		
Title 18 U.S.C. Section 1001, makes it a crime for representations as to any matter within its jurisdict	r any person knowingly and willfully to make to any departmention.	nt or agency of the United States	THE PROPERTY OF THE PROPERTY O	MAGFA

REPERFORATION PROCEDURE

San Juan 28-7 Unit #258 DK 23K-28N-7W Orig. Comp. 6/78 TD = 7833' PBTD = 7824'

- 1. Check location for anchors. Install if necessary. Test anchors.
- 2. MIRUSU. Blow well down. **DO NOT KILL WELL!!!!** TIH w/sinker bar and tag for fluid and fill. (Swab, if necessary to remove fluid for step 4)
- 3. TOH with tubing and inspect. Replace any bad joints.
- 4. TIH with wireline 3 1/8" perf guns and perforate the following intervals underbalanced (swab fluid level down to 50-100' above perfs) with 2 jspf, 120° phasing, 12 1/2 g. charges (.34" hole, 13.1" depth):

7606-08' 7616-23' 7634-44' 7722-34' 7770-76' 7794-7802'

- 5. TIH with tubing, land at 7802'. Clean out fill, if necessary. Swab, if necessary to return the well to production.
- 6. RDMOSU

Please report any problems to Lara Kwartin

(W) (303) 830-5708 (H) (303) 343-3973 SJ 28-7 UNIT 258 2188 Location - 23K-28N-7W SINGLE DK Orig.Completion - 6/78 Last File Update - 1/89 by DDM

