## UNITED STATES DEPARTMENT OF THE INTERIOR

		Budget Bureau	No. 42-R142
5. LEASE			
SF	080430	В	

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME San Juan 28-6 Unit 8. FARM OR LEASE NAME
1. oil gas well well other	San Juan 28-6 Unit  9. WELL NO.
2. NAME OF OPERATOR El Paso Natural Gas Company	50A (PM)  10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR P.O. Box 289, Farmington, New Mexico 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	Undes. PC & Blando MV  11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 19, T-28-N, R-6-W
below.) 1520'N, 1285'W AT SURFACE: AT TOP PROD. INTERVAL:	NMPM  12. COUNTY OR PARISH   13. STATE   New Mexico
AT TOTAL DEPTH:  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	14. API NO.  15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	6629' GL
TEST WATER SHUT-OFF	
REPAIR WELL	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
CHANGE ZONES	
<ol> <li>DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stational including estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined and true vertical depths for all markers and zones pertined zones pertined and zones pertined and zones pertined zones zones zones zones zones zones</li></ol>	ent to this work.)*
-9-80: Spudded well. Drilled surface hole. Ra surface casing 216' set at 228'. Cement Circulated to surface. WOC 12 hours;hel	ted w/ 224 cu. ft. cement.
RECEIV	
U. S. GLOLOGICAL FARMINGTON, 1	SURVEY N. M.  OU OTTO SULE  DIST. 5
Subsurface Safety Valve: Manu. and Type	Set @
18. I hereby certify that the foregoing is true and correct	Clork July 10, 1000
SIGNED Drilling (	
(This space for Federal or State of	و ا
APPROVED BYTITLE CONDITIONS OF APPROVAL, IF ANY:	DATE
*See Instructions on Reverse	e Side