Denny & Fout DEPUTY OIL & GAS INSPECTOR

DEC 2 9 1997

Meter Number:93215
Cation Name:SAN JUAN 28-7 UT #12A PC

Location:TN-28 RG-07 SC-17 UL-C

2 - Federal

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00

DECEIVED N APR 1 4 1997

VIIQ GON. DIV.

RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10⁻⁹ to 10⁻¹³ cm/sec Shale 10⁻¹² to 10⁻¹⁶ cm/sec Clay 10⁻¹² to 10⁻¹⁵ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.



FIELD PIT SITE ASSESSMENT FORM

GENERAL	Meter: 93215 Location: San Juan 28-7 Unit 12A (PC) Operator #: 0203 Operator Name: Amaco P/L District: 8/anco Coordinates: Letter: Section 17 Township: 28 Range: 7 Or Latitude Longitude Pit Type: Dehydrator Location Drip: Line Drip: Other: Site Assessment Date: 6/8/94 Area: 13 Run: 71
	NMOCD Zone: Land Type: BLM X (1) (From NMOCD Maps) Inside (2) Maps) Inside (3) Outside (2) Indian (3) Depth to Groundwater (1) Less Than 50 Feet (20 points) (1) (1) 50 Ft to 99 Ft (10 points) (2) (2) Greater Than 100 Ft (0 points) (3) (3)
ASSESSMENT	Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)
SITE ASS	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points)
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100'
<u>w</u>	TOTAL HAZARD RANKING SCORE: POINTS
REMARKS	Remarks: Redline + Vuln - Outside Apits. Close Pit Dry (oil stained)
REM	$Q_{(1,1)} = Q_{(1,1)}$
ــــــــــــــــــــــــــــــــــــــ	PU(H-IN

ATION	ORIGINAL PIT LOCATION Original Pit: a) Degrees from North 65° Footage from Wellhead 34′ b) Length: 36′ Width: 28′ Depth: 4′
ORIGINAL PIT LOCATION	Wellhand 34'
	Remarks: Pictures @ 1504 (9-13) End Dump
REMARKS	
RE	
	Completed By:
	Signature Date

FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 93215 Location: SANJuan 28-7 #12A Coordinates: Letter: Section 17 Township: 28 Range: 7 Or Latitude Longitude Date Started: 8-23-94 Run: 13 71
FIELD OBSERVATIONS	Sample Number(s): <a <="" href="mailto:nk286" td="">
CLOSURE	Remediation Method: Excavation
	Other Facility
REMARKS	Remarks: [FRUE lines marked Soil Gray No HYDrocarbon odor Hit sand Stone 9
	Signature of Specialist: Morgan Xiscion (SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE	IDENTIFICA	TION			
	Field		Lab ID			
SAMPLE NUMBER:	MK 286		946003			
MTR CODE SITE NAME:	93215		N/A			
SAMPLE DATE TIME (Hrs):	8.23-94		1514			
SAMPLED BY:		I/A				
DATE OF TPH EXT. ANAL.:	L.: 8-25-94		8/25/94			
DATE OF BTEX EXT. ANAL.:	414	414		מומ		
TYPE DESCRIPTION:			Brown	Soud	& Clay	
		RESULTS				
PARAMETER	RESULT UNITS		QUALIFIERS DF Q M(q)			V(ml)
TPH (418.1)	1110	MG/KG	DF		M(g)	28
HEADSPACE PID	39	РРМ				
PERCENT SOLIDS	90.1	%				
T ENCOUNT OF	V	TPH is by EPA Meth	od 418.1			
arrative:				<u>-</u>		

```
Test Method for
  Oil and Grease and Patroleum Hydrocarbons
         in Water and Shil
     Portin-Floer Model 1600 FT-18
         Anslysis Recort
```