

## SUNDRY NOTICES AND REPORTS ON WELLS

1. oil well ☐ gas well ☒ other ☐

3. ADDRESS OF OPERATOR  
P. O. Box 289 Farmington, New Mexico

AT SURFACE: 1520' N, 1540' E  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: Same

SUBSEQUENT REPORT OF:

(other) Ammendment of Approved APD

□ □ □ □ □ □ □

RECEIVED  
ONSTEL Repor  
chan

DEC 1980

U. S. GEOLOGICAL SURVEY  
WASHINGTON, N. M.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Size of Hole	Size of Casing	Weight per Foot	Setting Depth	Quantity of Cement
12 in.	12 in.	12.5	100	1.0
14 in.	14 in.	14.5	120	1.2
16 in.	16 in.	16.5	140	1.4
18 in.	18 in.	18.5	160	1.6
20 in.	20 in.	20.5	180	1.8
22 in.	22 in.	22.5	200	2.0
24 in.	24 in.	24.5	220	2.2
26 in.	26 in.	26.5	240	2.4
28 in.	28 in.	28.5	260	2.6
30 in.	30 in.	30.5	280	2.8
32 in.	32 in.	32.5	300	3.0
34 in.	34 in.	34.5	320	3.2
36 in.	36 in.	36.5	340	3.4
38 in.	38 in.	38.5	360	3.6
40 in.	40 in.	40.5	380	3.8
42 in.	42 in.	42.5	400	4.0
44 in.	44 in.	44.5	420	4.2
46 in.	46 in.	46.5	440	4.4
48 in.	48 in.	48.5	460	4.6
50 in.	50 in.	50.5	480	4.8
52 in.	52 in.	52.5	500	5.0
54 in.	54 in.	54.5	520	5.2
56 in.	56 in.	56.5	540	5.4
58 in.	58 in.	58.5	560	5.6
60 in.	60 in.	60.5	580	5.8
62 in.	62 in.	62.5	600	6.0
64 in.	64 in.	64.5	620	6.2
66 in.	66 in.	66.5	640	6.4
68 in.	68 in.	68.5	660	6.6
70 in.	70 in.	70.5	680	6.8
72 in.	72 in.	72.5	700	7.0
74 in.	74 in.	74.5	720	7.2
76 in.	76 in.	76.5	740	7.4
78 in.	78 in.	78.5	760	7.6
80 in.	80 in.	80.5	780	7.8
82 in.	82 in.	82.5	800	8.0
84 in.	84 in.	84.5	820	8.2
86 in.	86 in.	86.5	840	8.4
88 in.	88 in.	88.5	860	8.6
90 in.	90 in.	90.5	880	8.8
92 in.	92 in.	92.5	900	9.0
94 in.	94 in.	94.5	920	9.2
96 in.	96 in.	96.5	940	9.4
98 in.	98 in.	98.5	960	9.6
100 in.	100 in.	100.5	980	9.8

13 3/4"	9 5/8"	36.0#	200'	224 ft <sup>3</sup> to circulate
8 3/4"	7"	20.0#	3880'	360 ft <sup>3</sup> 100% excess
6 1/4"	4 1/2"	10.5# & 11.6#	8040'	to cover Ojo Alamo
				640 ft <sup>3</sup> 50% excess
				to fill to intermediate
				casing.

This reflects a change in plans from mud drill to gas drill.

Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Scott Macpherson TITLE Drilling Clerk

(This space for Federal or State office use)

**APPROVED**  
APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY \_\_\_\_\_

DEC 08 1980

Bruce Wamley  
for DISTRICT ENGINEER

TITLE \_\_\_\_\_ DATE \_\_\_\_\_

NMOCC

**\*See Instructions on Reverse Side**

DEG-58100  
OIL CON. COM.  
DIST. 3