DEC 2 9 1997

Meter Number: 93688 ocation Name:San Juan 28-7 #231E

Location:TN-28 RG-07

SC-16 UL-K 2 - Federal

NMOCD Zone: OUTSIDE

Hazard Ranking Score:00

#### RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10<sup>-9</sup> to 10<sup>-13</sup> cm/sec Sandstone 10<sup>-12</sup> to 10<sup>-16</sup> cm/sec Shale 10<sup>-12</sup> to 10<sup>-15</sup> cm/sec Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

### FIELD PIT SITE ASSESSMENT FORM



GENERAL	Meter: 93688 Location: SAN JUAN 28-7 # 2318  Operator #: O186 Operator Name: CONOCO P/L District: Blanco  Coordinates: Letter: K Section 16 Township: 28 Range: 7  Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: 9.26.95 Area: 03 Run: 41					
	NMOCD Zone:         Land Type:         BLM         ☐ (1)           (From NMOCD         State         ☐ (2)           Maps)         Inside         ☐ (1)         Fee         ☐ (3)           Outside         ☒ (2)         Indian					
SITE ASSESSMENT	Depth to Groundwater  Less Than 50 Feet (20 points)					
	Wellhead Protection Area:  Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points)					
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points)					
	(Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only)  (2) > 100'					
	TOTAL HAZARD RANKING SCORE: POINTS					
REMAF"	REMARKS: KEDLINE SHOWS INSIDE BUT TOPO SHOWS LONATION OUTSIDE  V.Z. THERE ARE POUR PITS ON THIS LOCATION. DNE IS AN UNUSED  DEHY PIT AND BELONGS TO EANG. THE OTHER THREE BELONG TO THE  OPERATOR: WILL CLOSE EPNGS PIT.  PUSH IN					

(SP3190) 04/08/94

# ORIGINAL PIT LOCATION Original Pit: a) Degrees from North 199° Footage from Wellhead 49' b) Length: <u>25'</u> Width: <u>23'</u> Depth: <u>3'</u> ORIGINAL PIT LOCATION Remarks: PHOTOS- 1307 REMARKS Completed By:

Signature

/CD340003 04/07

9.26.95

- Date

### FIELD PIT REMEDIATION/CLOSURE FORM

GENERAL	Meter: 93688 Location: SAN JUON 28-7*23/E  Coordinates: Letter: K. Section 16 Township: 28 Range: 7  Or Latitude Longitude  Date Started: 810-11-95 Run: 03 4/
FIELD OBSERVATIONS	Sample Number(s): AK 491  Sample Depth: 5' Feet  Final PID Reading 1 PPA PID Reading Depth 5' Feet  Yes No  Groundwater Encountered
CLOSURE	Remediation Method:  Excavation
REMARKS	Remarks: Arrived Dug Sanfle Hole Soil Smelled Cleaned Hit Rock &'
	Signature of Specialist: Morgan Xillion (SP3191) 03/16/94



## FIELD SERVICES LABORATORY ANALYTICAL REPORT

### PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

### SAMPLE IDENTIFICATION


	Field ID	Lab 10, B P/16/15
SAMPLE NUMBER:	MK 492	94762\$9
MTR CODE   SITE NAME:	PALAULES 93688	San Juan 28-7 #231 E
SAMPLE DATE   TIME (Hrs):	10-11-95	0810
PROJECT:	PhaseI	
DATE OF TPH EXT.   ANAL.:	10-16-95	
TYPE   DESCRIPTION:	VG	CIGHT BRIN SAMON GCAY

REMARKS:	
----------	--

#### **RESULTS**

PARAMETER	RESULT	UNITS	QUALIFIERS			i a a a a a a a a a a a a a a a a a a a
		2.2.1	DF	Q	M(g)	V(ml)
TPH (418.1)	1630	MG/KG			1.99	28
HEADSPACE PID		PPM				
PERCENT SOLIDS	89.6	%			<u> </u>	

PERCENT SOLIDS	87.6	%			
		TPH is by EPA Method 4	¥18.1		
Narrative:					
DF = Dilution Factor Used					
Approved By:			Date:	10-18-9	<u> </u>



# ILLEGIBLE