

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

1. TYPE OF WELL GAS		5. LEASE NUMBER NM-013657	
2. OPERATOR EL PASO NATURAL GAS CO.		IF INDIAN, ALL. OR TRIBE NAME	
3. ADDRESS & PHONE NO. OF OPERATOR P O BOX 4289 FARMINGTON, NM 87499		7. UNIT AGREEMENT NAME SAN JUAN 28-6 UNIT	
4. LOCATION OF WELL 1310'PSL 1330'FWL		8. FARM OR LEASE NAME SAN JUAN 28-6 UNIT	
14. PERMIT NO. 30-039-25001		9. WELL NO. 473	
15. ELEVATIONS 6706'GL		10. FIELD, POOL, OR WILDCAT BASIN FRUITLAND COAL	
		11. SEC. T. R. M OR BLK. SEC. 25 T28N R06W NMPM	
		12. COUNTY RIO ARRIBA	
		13. STATE NM	

16. SUBSEQUENT REPORT OF: SPUD

17. Describe proposed or completed operations

SPUD DATE: 111590 SPUD TIME: 1530
TD 231'. Ran 5 jts of 8 5/8" 24.0# K-55 casing, 216' set @ 228'. Cemented with 210 sacks of Class G cement with 1/4# Flocele/sack and 3% calcium chloride, (242 cu ft.). Circulated 10 bbls to surface. WOC 12 hours. Pressure tested to 600 psi for 30 minutes. Held OK.

DATE: 111990
TD 3495'. Ran 83 jts of 5 1/2" 15.5# K-55 casing, 3482' set @ 3494'. Set stage tool @ 2924', insert baffle @ 3407', auto fill up float collar @ 3450', and cement nose guide shoe @ 3494'. First stage cement with 40 sacks of Class G 65/35 Poz, 6% gel, 2% calcium chloride, 5# gilsonite/sack, and 1/4# Flocele/sack, (71 cu ft.). Followed by 90 sacks of Class G cement with 2% calcium chloride, (106 cu ft.). Circulated 6 bbls to surface. Second stage cement with 530 sacks of Class G 65/35 Poz, 6% gel, 2% calcium chloride, 5# gilsonite/sack, and 1/4# Flocele/sack, (938 cu ft.). Followed by 60 sacks of Class G cement with 2% calcium chloride, (71 cu ft.). Circulated 45 bbls to surface.

18. AUTHORIZED BY: Regulatory Affairs

12-4-90
DATE

NOTE: THIS FORMAT IS ISSUED IN LIEU OF US BLM FORM 3160-5. ACCEPTED FOR RECORD

(This space for Federal or State office use)

DEC 31 1990

APPROVED BY _____ TITLE _____
CONDITION OF APPROVAL, IF ANY: _____ DATE _____
FARMINGTON RESOURCE AREA