DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II 811 South First St., Artesia, NM 88210-2835

DISTRICT III 1000 Rio Brazos Rd, Aztec, NM 87410-1693

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Form C-107-A New 3-12-96

APPROVAL PROCESS:

X Administrative ___Hearing

EXISTING WELLBORE

APPLICATION FOR DOWNHOLE COMMINGLING __YES __x_NO

rlington Resources Oil & Gas C		Address	
n Juan 28-5 Unit	86 M	D 23-28N-05W	Rio Arriba
36	Well No.	Unit Ltr Sec - Twp - Rge	Spacing Unit Lease Types: (check 1 or more)
RID NO14538 Property Code	7460 API NO.	30-039-not assigned Federalx	, State, (and/or) Fee
the following facts are submitted in	Upper	Intermediate Zone	Lower
support of downhole commingling:	Zone		
	Blanco Mesaverde - 723	Day a control of the a beautiful and a control of the control of t	Basin Dakota - 71599
Pool Code		mulation	will be supplied upon completio
2. Top and Bottom of Pay Section (Perforations)	will be supplied upon co		
3. Type of production	gas	NEGEINE	gas
(Oil or Gas)			flowing
4. Method of Production (Flowing or Artificial Lift)	flowing	70 E 1 1300	
5. Bottomhole Pressure	(Current) a. 603 psi (see attachm	ent) DEL GOMa D	a. 1084 psi (see attachment)
Oil Zones - Artificial Lift: Estimated Current		DIST. 3	
Gas & Oil - Flowing: Measured Current	(Original) b. 1320 psi (see attach		b. 3392 psi (see attachment)
All Gas Zones: Estimated or Measured Original	BTU 1126	* **	BTU 1153
6. Oil Gravity (API) or Gas BTU Content	810 1126		
7. Producing or Shut-In?	shut in		shut in
Production Marginal? (yes or no)	no		yes
	Date: n/a	Date:	Date: n/a
* If Shut-in and oil/gas/water rates of last production	Rates:	Rates:	Rates:
Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data			
* If Broducing give data and	Date: n/a	Date: Rates:	Date: n/a Rates:
oil/gas/water water of recent test (within 60 days)	Rates:	Rates.	
Allegation	Oil: Gas:	Oil: Gas:	Oil: Gas: %
 Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%) 	* *	% %	will be supplied upon completion
(LOUZI OF 76 S CO OQUEL COOK)	will be supplied upon compl	euon	
9. If allocation formula is based attachments with supporting d 10. Are all working, overriding, and	upon something other tata and/or explaining me	han current or past production, or thod and providing rate projections I in all commingled zones? been notified by certified mail? a proposed downhole commingling	or is based upon some other method, or other required data. Yesx_Noyesx_No
Have all offset operators been	given written notice of the	proposed downhole commingling	7 _X_YesNO
		re fluids compatible, will the formation in the formation	ations not be daliladed, will dill vioce
12. Are all produced fluids from all	commingled zones comp	eatible with each other?x_\	res No
a service of the service box	decreased by comminali	ng? Yes X No (if Yes, at	tach explanation)
14. If this well is on, or communiti	zed with, state or federa	l lands, either the Commissioner of plicationXYes No	of Public Lands or the United States Bu
15. NMOCD Reference Cases for Ri	lle 303(D) Exceptions:	RDER NO(S)Reference Order	R-10695 attached
16. ATTACHMENTS:		en except and acreage de	dication.
* Production curve to	reduction history estima	ted production rates and supporting	planation.) ng data.
* Data to support allo	cation inerior or journal	a.	
* Notification list of w * Any additional state	orking, overriding, and r ements, data, or docume	oyalty interests for uncommon inte nts required to support comminglin	g
I hereby certify that the inform		na complete to the best of my	mieniaela em seme
SIGNATURE Sand Alex	1 Box SGW TI	TLE: Reservoir Engineer	DATE: 06-26-98

TYPE OR PRINT NAME <u>Sean Woolverton</u> TELEPHONE NO. (505) 326-9700

District I PO Box 1980, Hobbs, NM 88241-1980

District II PO Drawer DD, Artesia, NM 88211-0719

District III

OIL CONSERVATION DIVISION PO Box 2088

State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-102

Revised February 21, 1994


Instructions on back

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87504-2088	
District IV PO Box 2088, Santa Fe. NM 87504-2088	AMENDED REPORT
	A.T.
WELL LOCATION AND ACREAGE DEDICATION PL	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
'Property Code 'Property Name	"Well Number
7460 SAN JUAN 28-5 UNIT	86M
OGRID No. BURLINGTON RESOURCES OIL & GAS COMPANY	*Elevation
14538 Solution 10 Surface Location	
UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the	East/West line County
D 23 28N 5W 935 NORTH 1075	WEST ARRIBA
11 Bottom Hole Location If Different From Surf	ace East/West line County
UL or lot no. Section Township Range Lot Idn - Feet from the North/South line Feet from the	East/fiest 13 E
2 Deducated Acres 13 Joint or Infill 14 Consolination Code 15 Order No.	
MV-N/320 DK-W/320	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS FOR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVI	AVE BEEN CONSOLIDATED SION
	ATOR CERTIFICATION
LO .	tify that the information contained herein is plete to the best of my knowledge and belief
1075 NMSF-079519A	
Signatur	е
NMSF-079519A Peggy	Bradfield
Printed	Name atory <u>Administrato</u> r
Title	1001 y 11dm2112002ddo
O Date	
	EYOR CERTIFICATION
was plotted	tify that the well location shown on this plat from field notes of actual surveys made by me supervision and that the same is true and
correct to ti	best of my belief.
NMSF-079519A	
DECEIVED APR Date of Signature of	Survey
DECEIVED DAPR Date of Signature and	Survey
DECEIVED APR Date of Signature of	Survey Seel of ProfessED Webs

5287.921

San Juan 28-5 Unit #86M Expected Production Curve Blanco Mesaverde



San Juan 28-5 Unit #86M Expected Production Curve Basin Dakota



SJ 28-5 Unit #86M

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

Mesaverde	Dakota <u>DK-Current</u>		
MV-Current			
GAS GRAVITY 0.661 COND. OR MISC. (C/M) C %N2 0.16 %CO2 1.22 %H2S 0 DIAMETER (IN) 2.375 DEPTH (FT) 5319 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 137 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 517 BOTTOMHOLE PRESSURE (PSIA) 602.5	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 0.695 C. 2.98 0.42 0.42 0.42 0.42 0.42 0.42 0.42 0.42		
MV-Original	DK-Original		
GAS GRAVITY COND. OR MISC. (C/M) %N2 %N2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 1320.3	GAS GRAVITY COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) SURFACE PRESSURE (PSIA) BOTTOMHOLE PRESSURE (PSIA) 0.695 C.		

Page No.: 1 Print Time: Mon Feb 23 07:20:21 1998 Property ID: 3967 Property Name: SAN JUAN 28-5 UNIT | 55 | 50633A-1 Table Name: K:\ARIES\RR98PDP\TEST.DBF -- DATE -- M SIWHP Psi 08/21/62 1116.0 OUCXILLO 08/31/62 1116.0 01/13/63 814.0 01/24/64 782.0 09/01/65 597.0 02/24/66 615.0 1.0/25/67 567.0 03/01/68 582.0

497.0

457.0

439.0

532.0

499.0

540.0

680.0

692.0

517.0 Current

06/19/70

05/15/72

05/02/74

04/09/76

08/03/82

04/15/91

08/16/91

03/31/93


04/27/71

San Juan 28-5 Unit #8611

Mesaverde Uffsct

```
Page No.: 1
   Print Time: Mon Feb 23 07:19:10 1998
  Property ID: 1760
Property Name: SAN JUAN 28-5 UNIT NP | 86 | 52417A-1
   Table Name: K:\ARIES\RR98PDP\TEST.DBF
                                       Jan Juan 28-5 Unit # 86117
--DATE-- M SIWHP
                                         Dakota Offset
05/20/71 2699.0- Original
11/05/71 1727.0
05/15/72 1262.0
07/05/73 1271.0
04/15/75 1064.0
06/15/77 926.0
07/02/79 953.0
06/11/81
          957.0
          966.0
09/27/83
          896.0
07/11/85
08/02/88
          972.0
          930.0
05/08/90
          875.0 - Clirilut
09/29/92
```

San Juan 28-5 Unit #86M Blanco Mesaverde / Basin Dakota 28N-05W-23




BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 28-5 Unit #86M

OFFSET OPERATOR/OWNER PLAT

Mesaverde (N/2) / Dakota (W/2) Formations Commingle Well

Township 28 North, Range 5 West



STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

CASE NO. 11627 ORDER NO. R-10695

APPLICATION OF BURLINGTON RESOURCES OIL & GAS COMPANY FOR THE ESTABLISHMENT OF A DOWNHOLE COMMINGLING "REFERENCE CASE" FOR ITS SAN JUAN 28-5 UNIT PURSUANT TO DIVISION RULE 303.E. AND THE ADOPTION OF SPECIAL ADMINISTRATIVE RULES THEREFOR, SAN JUAN COUNTY, NEW MEXICO.

THO ARRIBA

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November, 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

FINDS THAT:

- Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- The applicant, Burlington Resources Oil & Gas Company (Burlington), (2) pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole commingling "reference case" to provide exceptions for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico.

à

(3) Division Rule No. 303.E., amended by Order No. R-10470-A, currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, etc., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D. of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingle (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 28-5 Unit which encompasses some 17,399 acres in Township 28 North, Range 5 West, NMPM, San Juan County, New Mexico.
- (5) Within the San Juan 28-5 Unit, the applicant currently operates sixty-seven (67) Basin-Dakota Gas Pool wells, seventy-one (71) Blanco-Mesaverde Gas Pool wells, sixteen (16) Gobernador-Pictured Cliffs, Oso-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and nineteen (19) Basin-Fruitland Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - a) establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations, whereby these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal";
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit;

- c) establish a "reference case" whereby the Division utilizes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 28-5 Unit; and,
- d) establish a "reference case" or an administrative procedure for authorizing the downhole commingling of existing or future drilled wells within the San Juan 28-5 Unit without additional notice to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 28-5 Unit:
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent;
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 1,258 MMCFG and 77 MMCFG, respectively;
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 276 MCFGD and 136 MCFGD, respectively; and,
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
 - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit should be properly classified as "marginal".
 - (9) In support of its request to except pressure criteria within the Dakota and Pictured Cliffs formations within the San Juan 28-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

- a) the average shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3,149 psi and 1,143 psi, respectively; and,
- b) the average current shut-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.059 psi and 714 psi, respectively.
- (10) There is sufficient pressure data available within the San Juan 28-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be utilized for downhole commingled wells within the San Juan 28-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone;
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
 - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore, the proposal to except allocation formulas should be approved.
 - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 28-5 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given wellbore in the San Juan 28-5 Unit is generally not common;
 - b) pursuant to Division Rule No. 303.D., applicant is currently required to notify all interest owners within the San Juan 28-5 Unit every time a Form C-107-A is submitted to the Division. There are a considerable number of such interest owners within the unit;

- c) providing notice to each interest owner within the San Juan 28-5
 Unit of subsequent downhole comminglings is unnecessary and is
 an excessive burden on the applicant;
- d) the downhole commingling of wells within the San Juan 28-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole commingling of wells within the San Juan 28-5 Unit should not violate the correlative rights of any interest owner;
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 28-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions contained within Division Rule No. 303.C. are complied with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downhole commingling approvals within the San Juan 28-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria, (b) pressure criteria, (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota, Mesaverde, Fruitland Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 28-5 Unit, San Juan County, New Mexico, is hereby approved.

- downhole commingled within the San Juan 28-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictured Cliffs and Dakota formations as "marginal", supporting data to verify the Pictured Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
 - (3) In order to obtain Division authorization to downhole commingle wells within the San Juan 28-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Aztec Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all interest owners within the San Juan 28-5 Unit of such proposed commingling.
 - (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

WILLIAM J/Lemay

Director

S E A L