

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

Put to Producing.....~~No production~~....., 19.....

GAS WELL: The production during the first 24 hours was.....None.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

### Southeastern New Mexico

## Northwestern New Mexico

|                    |                     |                            |
|--------------------|---------------------|----------------------------|
| T. Anhy.....       | T. Devonian.....    | T. Ojo Alamo.....          |
| T. Salt.....       | T. Silurian.....    | T. Kirtland-Fruitland..... |
| B. Salt.....       | T. Montoya.....     | T. Farmington.....         |
| T. Yates.....      | T. Simpson.....     | T. Pictured Cliffs.....    |
| T. 7 Rivers.....   | T. McKee.....       | T. Menefee.....            |
| T. Queen.....      | T. Ellenburger..... | T. Point Lookout.....      |
| T. Grayburg.....   | T. Gr. Wash.....    | T. Mancos.....             |
| T. San Andres..... | T. Granite.....     | T. Dakota.....             |
| T. Glorieta.....   | T. ....             | T. Morrison.....           |
| T. Drinkard.....   | T. ....             | T. Penn.....               |
| T. Tubbs.....      | T. ....             | T. ....                    |
| T. Abo.....        | T. ....             | T. ....                    |
| T. Penn.....       | T. ....             | T. ....                    |
| T. Miss.....       | T. ....             | T. ....                    |

| Thickness |  | Thickness |  |
|-----------|--|-----------|--|
|           |  |           |  |

Finished rigging up June 4th. Began cleaning outavings at 1211'. Began making new hole at noon, June 5, 1961. Log of new hole is as follows:

0 - 1330 Dark grey shale w/sand streaks (As reported on Well Record filed  
1330 - 1340 Shale & sand with OCC, Sept. 22, 1959)  
1340 - 1365 Shale & sand  
1365 - 1385 Sand & shale  
1385 - 1405 Shale & lime  
1405 - 1412 Lime, very hard *Top of Greenhorn*  
1412 - 1435 Lime & shale  
1435 - 1455 Lime & sandy shale  
1455 - 1480 Shale

WILLIAM WILKINSON COMPANY  
W. W. WILKINSON, PRESIDENT

Y GOOD WIFE SET ARE MADE BY JOHN GLOZ. LOT ARE ON CHURCH LONDON.

12-13 1964 TO 12-14 1964: DAKOTA 2500' LIGAS 1800'

RETT CONTINUED QUA TO TING TEEC MYELS FOR OL DEKORTS SUNDAYONE ARE ENCOURAGED.

NOTE: ALL DATA ARE UNCLASSIFIED


~~IDENTIFICATION NUMBER COMBUSTION TEST AREA OF WHEELS' TAIL' (#5-78-2# 122 CREDIT JSC).~~

Name M. B. Hamilton Position or Title President

NUMBER OF COPIES RECEIVED

|             |  |
|-------------|--|
| SANTA FE    |  |
| FILE        |  |
| U.S.G.S.    |  |
| LAND OFFICE |  |
| OTHER       |  |
| OPERATOR    |  |

Oil and Gas  
(Form O-101)



NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form O-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Hamilton Investment Company (Company or Operator) Penn Building (Lease)

Well No. 1, in 1/4 of 1/4 of Sec. 33, T. 22-N, R. 4-E, NMPM. Wildcat Pool, Rio Arriba County.

Well is 330 feet from West line and 2310 feet from North line of Section 33. If State Land the Oil and Gas Lease No. is

Drilling Commenced June 2, 1961. Drilling was Completed June 12, 1961. (Resumed operation of well temporarily abandoned Sept. 8, 1957, to be drilled deeper). Name of Drilling Contractor Western Drilling Company

Address Lubbock, Texas

Elevation above sea level at Top of Tubing Head October 1, 1961. The information given is to be kept confidential unless

OIL SANDS OR ROCKS

No. 1, from None encountered. No. 2, from to. No. 3, from to.

REMARKS

Include data on rate of water inflow and direction in which water is flowing

No. 1, from 1548 to 1577 feet. Water rose 600' in hole. No. 2, from (Will be drilled deeper into the Lubbock Sand at a later date, it is our understanding). No. 3, from to feet. No. 4, from to feet.

CASING RECORD

| SIZE   | WEIGHT PER FOOT | NEW OR USED | AMOUNT | LEAKS OR SEEPS | JOY AND JOBS FROM | PERFORATIONS | PURPOSE |
|--------|-----------------|-------------|--------|----------------|-------------------|--------------|---------|
| 4-1/2" | 9.54            | New         | 1535'  |                |                   |              |         |
|        |                 |             |        |                |                   |              |         |
|        |                 |             |        |                |                   |              |         |
|        |                 |             |        |                |                   |              |         |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WATER SET | NO. BAGS CEMENT | PERFORATIONS | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|-----------------|--------------|-------------|--------------------|
|              |                |           |                 |              |             |                    |
|              |                |           |                 |              |             |                    |
|              |                |           |                 |              |             |                    |
|              |                |           |                 |              |             |                    |

RECORD OF PRODUCTION AND STIMULATION

(Record the process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out