NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

RLULIVED JUL 24 1961 OIL CON. COM. DIST. 3

AFFIDAVIT OF RESPONSIBILITY CONVERSION TO WATER-WELL

OSES 2	VICTIVA instilton	, bein	ng first duly sworn according to law, upon his oath
July a	nd says:	-	
1.	That he is _	President	of Hamilton Investment Company
		(Title)	(Operator)
			is the operator of a well drilled on land be-
	(Ope	erator)	
ging to	oSpill_Br	o thers ndowner)	, whose address is Spill Brothers Ranch, Tierra
erille.	•	•	ll being drilled to test for hydrocarbons and/or carbon
			Penn Building No. 1 , being located 330
			feet from the Morth line of Section
			, NMPM, Rie Arriba County, New Mexico.
*			
			A with the Bry Benice St. Grangwitten Serviceira
			Investment Company on July 5, 1961, the Hamilton
			stern Drilling Company's tools on to the Penn
SALIS	of sorr me	T was existed	the some through the Grosphorn Line. At that depth, a over the well (at 1435 foot) and drilled it to
1577	leet. I. B.	Revilton Invi	estment Company's interest in this well ended at a
T. Tul	bbs		Т.
			T
_	ın		T
1. MIIS	33		FORMATION RECORD
			TORMITTON REGORD
	to Penn Build	ding #1 Well,	Inc. of Lubbook, Texas, moved its cable tools located 330 feet from west line and 2310 feet
	to Penn Build from north 1: on June 2, 19	ding #1 Well, ime, Sec. 33,	
	to Penn Build from north 1:	ding #1 Well, ime, Sec. 33,	located 330 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico,
	to Penn Build from north 1: on June 2, 1; Lime. Finished rigg	ding #1 Well, ime, Sec. 33, 961 for the pu	located 330 feet from west line and 2310 feet T. 288, R. 4E, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began
	to Penn Build from north 1: on June 2, 19 Lime. Pinished rigg making new ho	ding #1 Well, ime, Sec. 33, 961 for the pu ging up June 4 ole at noon, J	located 330 feet from west line and 2310 feet T. 28W, R. 4E, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn oth. Began cleaning out cavings at 1211'. Began Time 5, 1961. Log of new hole is as follows:
	to Penn Build from north 1s on June 2, 1s Lime. Pinished rigg making new ho 0 - 1330	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh	located 330 feet from west line and 2310 feet T. 28%, R. 4%, Rio Arriba County, New Mexico, urpose of drilling well on to test Greenborn with. Began cleaning out cavings at 1211'. Began hime 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed
	to Penn Build from north 1: on June 2, 19 Lime. Pinished rigg making new ho 0 - 1330 1330 - 1340 1340 - 1365	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, urpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began fune 5, 1961. Log of new hole is as follows: nale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959)
	to Penn Build from north 15 on June 2, 15 Lime. Pinished rigg making new bo 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1385	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began hime 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959)
	to Penn Build from north 15 on June 2, 15 Lime. Pinished rigg making new bo 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1385	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenborn with. Began cleaning out cavings at 1211'. Began hime 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959)
	to Penn Build from north 1: on June 2, 1: Lime. Pinished rigi making new hi 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1385 1385 - 1405 1405 - 1412	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & sine Lime, very h	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began Tune 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) learn Lop of Sallic Log.
	to Penn Build from north 13 on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1385 1385 - 1405 1405 - 1412 1412 - 1435	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & shale Shale & lime Lime, very h Lime & shale	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began June 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) leard Lop of Frecic Rossa.
	to Penn Build from north 13 on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1385 1385 - 1405 1405 - 1412 1412 - 1435	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June h ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & lime Lime, very h Lime & shale Lime & sandy	located 330 feet from west line and 2310 feet T. 288, R. 42, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn with. Began cleaning out cavings at 1211'. Began June 5, 1961. Log of new hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) ard Lep of Lee in Lawren shale
	to Penn Build from north 15 on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1340 1340 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & sand Shale & lime Lime, very h Lime & shale Lime & sandy Shale	located 330 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenborn with. Began cleaning out cavings at 1211'. Began June 5, 1961. Log of man hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) what Isp of Free County what shale Hemilton Turesament Combana
	to Penn Build from north 1: on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & sand Shale & lime Lime, very h Lime & shale Lime & sandy Shale	Notated 330 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenhorn With. Began cleaning out cavings at 1211'. Began June 5, 1961. Log of new hole is as follows: What are also of filed with OCC, Sept. 22, 1959) Sept. 22, 1959) Sept. 22, 1959)
	to Penn Build from north 1: on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1402 - 1412 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Shale & lime Lime, very h Lime & shale Lime & sandy Shale	located 330 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenborn with. Began cleaning out cavings at 1211'. Began June 5, 1961. Log of man hole is as follows: hale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) what Isp of Free County what shale Hemilton Turesament Combana
	to Penn Build from north 1: on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1402 - 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Sand & shale Shale & lime Lime, very h Lime & shale Lime & sandy Shale	Isamilton Investment Company Head 130 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenborn With. Began cleaning out cavings at 1211'. Began has 5, 1961. Log of man hole is as follows: Tale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) The state of Frech form Head 169 of Frech form Head 160 of Frech form
	to Penn Build from north 1: on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1402 - 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the pu ging up June 4 ole at noon, J Dark grey sh Shale & sand Shale & sand Sand & shale Shale & lime Lime, very h Lime & shale Lime & sandy Shale	Namilton Investment Company Hamilton Investm
	to Penn Build from north 1: on June 2, 1: Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480	ding #1 Well, ine, Sec. 33, 961 for the purious up June 4 ole at noon, June 4 shale a sand Shale a sand Shale a sand Shale a lime Lime, very h Lime a sandy Shale	Isamilton Investment Company Head 130 feet from west line and 2310 feet T. 288, R. 48, Rio Arriba County, New Mexico, arpose of drilling well on to test Greenborn With. Began cleaning out cavings at 1211'. Began has 5, 1961. Log of man hole is as follows: Tale w/sand streaks (As reported on Well Record filed with OCC, Sept. 22, 1959) The state of Frech form Head 169 of Frech form Head 160 of Frech form
	to Penn Build from north 15 on June 2, 15 Lime. Pinished riggmaking new ho 0 - 1330 1340 - 1340 1340 - 1365 1365 - 1405 1365 - 1405 1412 - 1435 1435 - 1455 1455 - 1480 Y Soog Aster	ding #1 Well, ine, Sec. 33, 961 for the purious at noon, Jurk grey shale a sand Shale a sand Shale a sand Shale a lime Lime, very h Lime a shale Lime a sandy Shale	Tocated 330 test than the substitute of feet where top of bekots Sandstone was encountered. The stands of freely water. The by Spill Bros. for use on their ranch. The by Spill Bros. for use on their ranch. The substitute of freely water. The substitute of freely water of the substitute of the s
	to Penn Build from north 13 on June 2, 13 Lime. Pinished rigg making new ho 0 - 1330 1330 - 1340 1340 - 1365 1365 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480 Aerr courtum	ding #1 Well, ine, Sec. 33, 961 for the purious at noon, June to sand Shale & sand Shale & sand Shale & sand Shale & lime Lime, very hime & shale Lime & sandy Shale	Shots Send, fresh water. The spain cleaning on the same on their reach. The spain cleaning on the same on their reach. The spain cleaning ont cavings at 1511. Began the spain cleaning of the spain cleani
	to Penn Build from north 15 on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480 Aeff courtum Toet se Jet	ding #1 Well, ine, Sec. 33, 961 for the purious to the purious the purious at noon, June to Shale a sand Shale a sand Shale a sand Shale a sandy Shale	Shots Send, fresh water. The spaint of the state on their reach. The spaint of the state
	to Penn Build from north 15 on June 2, 15 Lime. Pinished rigg making new ho 0 - 1330 1340 - 1365 1365 - 1365 1365 - 1405 1405 - 1412 1412 - 1435 1435 - 1455 1455 - 1480 Aeff courtum Toet se Jet	ding #1 Well, ine, Sec. 33, 961 for the purious to the purious the purious at noon, June to Shale a sand Shale a sand Shale a sand Shale a sandy Shale	Drilling Company began aleaning out on June 4, 2 feet where top of Dekota Sandstone was encountered. 2 ket where top of Dekota Sandstone was encountered. 2 ket where top of Dekota Sandstone was encountered. 2 ket where top of Dekota Sandstone was encountered. 2 ket Spill Sros. for use on their roach. 2 8. Hamilton Investment Company 3 shale 3 hard for Are Cit from 4 hamilton Investment Company 5 hard for Are Cit from 6 hard for Are Cit from 7 hard for Are Cit from 7 hard for Are Cit from 8 hamilton Investment Company 8 hard for Are Cit from 8 hard for Are Cit from 9 hard for Are Cit from 1



levation abo	Labbook	Top of Tubin	ng Head		The information		
			, 19				
lo 1 ferres	Hone enc	autorai	- -	II. Sanne or 1979			
,					rage		
					Compa		
						**************************************	<i>34</i> 74: Eucroszzresz ze szszászes el
nclude data	on rate of wate	er inflow and	i e erezion e e waich	odda o Ao <u>i</u> llio . Ometro obomo is	항: 		
						Mater was	
o. 2, from	Mill be	drilled	deeper into	the Saleta Se	md at a later d		ew miare
6. 3, from			10		Ericu (7:4) (AT		
					_		
				AT E POPRIO A CONTROL OF THE SE			
	WEIGHT	NEW	OR	CABING SEE SE	COV AND		
SIZE	PER FOOT	USE	D AMOUTE	To the second se		RATIONS	PURPOSE
4-1/2"	9.36	Harr	1535'				
		-				•	
				Company of the second s	(C.A.)		
			MUDDING	AND CEMENTIN	G RECORD		
SIZE OF HOLE	SIZE OF CATTNG	WEITE BET	NO. SACKS OF TEMPERY	មក (គណៈ ១ ១២	M(II) GRAVITY		AMOUNT OF MUD USED
							····
			t is and or i	PRODUCTION AND	I) STIMULATION		
		(Record th	br Noorss used, No	ol of Qis. on Gais.	used, interval treated or	shot.)	
-						•	
	· · · · · · · · · · · · · · · · · · ·						
***********					***************************************		

NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

RELLIVED JUL 24 1961 OIL CON. COM. DIST. 3

AFFIDAVIT OF RESPONSIBILITY CONVERSION TO WATER-WELL

County of Market	
County of VICTIA	
V. B. Hamilton	, being first duly sworn according to law, upon his oath
deposes and says:	
1. That he is	President of Hamilton Investment Company
That he is	(Title) (Operator)
	920 Hamilton Beilding, Hichita Falls, Tomas
2. That Hadli	on Investment Co. is the operator of a well drilled on land be-
	perator)
longing to(I	rothers , whose address is Spill Brothers Ranch, Tierra andowner)
	, said well being drilled to test for hydrocarbons and/or carbon
dioxide gas and desc	ribed as the Penn Building No. 1 , being located 330
feet from the	line and 2310 feet from the North line of Section 33 . Town-
	, Range , NMPM, Rio Arribe County, New Mexico.
	The state of the s
	bom delds Atlant with the New Menter Oll Consurvation Suprincing
Astec. New Mexico	, by Hamilton Investment Company on July 5, 1961, the Hamilton
Investment Compa	y moved the Western Brilling Company's tools on to the Penn
building Hall He	I and drilled the some through the Greenhavn Line. At that durth,
shiff protious,	Andowners, took over the well (at 1435 feet) and drilled it to
43// 2002, I. S.	Hamilton Investment Company's interest in this well ended at a st. What was done from there on down was at the direction of Spill
Brothers entirely	y. Mane and done thou there on good was at the difection of shift
4. Ipill beath	to dense carrier and the factor of the first seeing to be depth at 1835 and
feet, according casing was set, total depth of	to Western Drilling Company's Delly Drilling Report. After Spill Brothers had Western Brilling Company drill well to a 1577 feet, and it seems, made on annullent fresh water well in
feet, according casing was set,	to Western Drilling Company's Delly Drilling Report. After Spill Brothers had Western Drilling Company's Delly Drilling Report. After Spill Brothers had Western Brilling Company drill well to a 1577 feet, Mad it women, made an ampellant fresh maner will in
feet, according casing was set, total depth of	to Western Brilling Company's Daily Drilling Report. After Spill Brothers had Western Brilling Company drill well to a 1577 feet, and it seems, made an ampellant fresh water will in stone.
feet, according casing was set, total dipth of the Bakota Sand	to Western Brilling Company's Daily Drilling Report. After Spill Brothers had Western Brilling Company drill well to a 1577 feet, and it seems, made an ameliant fresh water will in itone. By D.B. Hamilton
feet, according casing was set, total dipth of the Bakota Sand	to Western Brilling Company's Daily Drilling Report. After Spill Brothers had Western Brilling Company drill well to a 1577 feet, and it seems, made an ampellant fresh water will in stone.
feet, according casing was set, total dipth of the Bakota Sand	to Nestern Brilling Company's Belly Brilling Report. After Spill Brothers had Nestern Brilling Company drill well to a 1377 feet, and it seems, made as amollent fresh water well in stone. By MB. Hamilton to before me this 18 day of July , A. D. 19 61 . Alma Trancis
feet, according casing was set, total dipth of the Bakota Sand	to Nestern Brilling Company's Delly Brilling Report. After spill Brothers had Mestern Brilling Company drill well to a 1377 feet, and it seems, made an amoullant fresh water well in stone. By M.B. Hamillon to before me this 18 day of July , A. D. 19 61. Notary Public in and for the County of Wichite County ALMA FRANCIS
feet, according casing was set, total depth of the Battota Sand	to Nestern Brilling Company's Delly Brilling Report. After spill Brothers had Nestern Brilling Company drill well to a 1577 feet, and it seems, made as ancellent fresh water well in stone. By M.B. Hamilton to before me this 18 day of July , A. D. 19 61. Notary Public in and for the County of Wichita County ALMA FRANCIS
feet, according casing was set, total dipth of the Bakota Sand	to Neetern Brilling Company's Delly Brilling Report. After spill Brothers had Neetern Brilling Company drill well to a 1377 feet, and it seems, made an ameliant fresh water well in itome. By D.B. Hamilton to before me this 18 day of July , A. D. 19 61 . Notary Public in and for the County of Michiga County ALLMA FRANCIS Texas
feet, according casing was set, total depth of the Battota Sand	to Nestern Brilling Company's Delly Brilling Report. After spill Brothers had Nestern Brilling Company drill well to a 1577 feet, and it seems, made as ancellent fresh water well in itome. By M.B. Hamilton to before me this 18 day of July , A. D. 19 61 . Notary Public in and for the County of Wichita County ALMA FRANCIS SS.
STATE OF	to Nestern Brilling Company's Beily Brilling Report. After spill Brothers had Western Brilling Company drill well to a 1577 feet, and it seems, made an ampellant fresh water will in itome. By MB. Hamulton to before me this 18 day of July , A. D. 19 61. Notary Public in and for the County of Highita County ALMA FRANCIS SS.
STATE OF	to Western Brilling Company's Delly Brilling Report. After Spill Brothers had Western Brilling Company drill well to a 377 feet, and it weeks, made an ameliant fresh water will in to before me this 18 day of July , A. D. 19 61 Notary Public in and for the County of Wichite County Reves Ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied
Subscribed and sworn County of NO APPLE Coun	to before me this 18 day of July A. D. 19 61. Notary Public in and for the County of Hichita County FRANCIS ss. being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he
Subscribed and sworn County of RO ARTI deposes and says that with, he will accept will assume all responses	to Western Brilling Company's Delly Brilling Report. After Spill Brothers had Western Brilling Company drill well to a 377 feet, and it weeks, made an ameliant fresh water will in to before me this 18 day of July , A. D. 19 61 Notary Public in and for the County of Wichite County Reves Ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied
Subscribed and sworn County of NO APPLE Coun	to bestern Brilliag Company's Beily Brilliag Report. After spill Brothers had Western Brilliag Company drill well to a 1577 feet, that it seems, made as abeliant fresh water will in stone. By MB. Hamuttan The provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he onsibility for the well, the location, and the coversion of the well
Subscribed and sworn County of RO ARTI deposes and says that with, he will accept will assume all responses	to bestern Brilliag Company's Beily Brilliag Report. After spill Brothers had Western Brilliag Company drill well to a 1577 feet, that it seems, made as abeliant fresh water will in stone. By MB. Hamuttan The provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he onsibility for the well, the location, and the coversion of the well
Subscribed and sworn County of RO ARTI deposes and says that with, he will accept will assume all responses	to bestern Brillian Company's Beilly Brillian Report. After spill Brothers had Western Brillian Company drill well to a 1377 feet, and it seems, made an ameliant fresh water well in stone. By Manuttan The property of the country of the country of Wights Country Public in and for the Country of Wights Country Francis Notary Public in and for the Country of Wights Country Francis ss. being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he onsibility for the well, the location, and the coversion of the well
STATE OF	to before me this 18 day of July , A. D. 19 61. Notary Public in and for the County of Wichita County FRANCIS ss. being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he onsibility for the well, the location, and the coversion of the well Land January Notary Public in and for the County of Wichita County FRANCIS Ss. Land January Notary Public in and for the County of Wichita County ALMA FRANCIS Land January Land Ja
STATE OF	to before me this 18 day of July , A. D. 19 61 Notary Public in and for the County of Michita County Notary Public in and for the County of Michita County Ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he onsibility for the well, the location, and the coversion of the well STILL MOTHERS BY: (Annual Spill (Landowner)
STATE OF	bestern Brilling Company's Delly Brilling Report. After spill Brothers had Western Brilling Company drill wall to a strong feet, and it seems, nade as ameliant fresh water will in stone. By MB Manuttra to before me this 18 day of July , A. D. 19 61. Notary Public in and for the County of Wichite County FRANCIS ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he possibility for the well, the location, and the coversion of the well fandowner) to before me this 20th day of July , A. D. 19 61. Manual Francis Fran
STATE OF	to Besters Brilling Compay's Delity Brilling Report. After spill Brothers had bestern Brilling Compay drill well to 177 feet, and the sea ameliant freek water will in 18 day of July , A. D. 19 61. Notary Public in and for the County of Hichita County FRANCIS ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he ensibility for the well, the location, and the coversion of the well (Landowner) to before me this 20th day of July , A. D. 19 61 Missis Francis Notary Public in and for the County of Ric Arriba
STATE OF	to bectern Brilling Company's Daily Brilling Report. After spill Brothers had bectern Brilling Company's Daily Brilling Report. After spill Brothers had bectern Brilling Company drill well to a 177 feet, and it seems, made an amelical fresh water will in tone. By MB. Manuttan Notary Public in and for the County of Wighitz County FRANCIS Ss. , being first duly sworn according to law, upon his oath when the provisions of Paragraphs 4 and 5 above have been complied the above-described well for his use as a water-well, and that he ensibility for the well, the location, and the coversion of the well STILL MOTHERS WY: Amount Spill (Jahdowner) to before me this Data day of July , A. D. 19 61 Notary Public in and for the County of Bio Arribs County, New Mexico



the parties to the desired to a solution of the parties of the par





N ...

 $\mathcal{A}(\mathbf{x}, \mathbf{w}) = \mathbf{x} \cdot \mathbf{x} \cdot \mathbf{w} \cdot \mathbf{$

. . .