

NEW MEXICO OIL CONSERVATION COMMISSION
GAS WELL TEST DATA SHEET - - SAN JUAN BASIN

(TO BE USED FOR FRUITLAND, PICTURED CLIFFS, MESAVERDE, & ALL DAKOTA
EXCEPT BARKER DOME STORAGE AREA)

Pool BALLARD Formation PICTURED CLIFFS County SAN JUAN
Purchasing Pipeline EL PASO NATURAL GAS COMPANY Date Test Filed 4-17-56
Operator J. GLENN TURNER Lessee HUERFANITO UNIT Well No. 29-35
Unit M Sec. 35 Twp. 27N Rge. 9W Pay Zone: From 2179 To 2247
Casing: OD 5-1/2" WT. 14# Set At 2179 Tubing: OD 1" WT. 1.7# T. Perf. 2228
Produced Through: Casing X Tubing _____ Gas Gravity: Measured 0.650 Estimated _____
Date of Flow Test: From 3-8-56 To 3-16-56 * Date S.I.P. Measured 11-18-56
Meter Run Size 4" Orifice Size 0.500 Type Chart Sq. Rt. Type Taps Flange

OBSERVED DATA

Flowing casing pressure (Dwt) _____ psig + 12 = _____ psia (a)
Flowing tubing pressure (Dwt) _____ psig + 12 = _____ psia (b)
Flowing meter pressure (Dwt) _____ psig + 12 = _____ psia (c)
Flowing meter pressure (meter reading when Dwt. measurement taken):
Normal chart reading _____ psig + 12 = _____ psia (d)
Square root chart reading (_____) ² x spring constant _____ = _____ psia (d)
Meter error (c) - (d) or (d) - (c) _____ ± _____ = _____ psi (e)
Friction loss, Flowing column to meter:
(b) - (c) Flow through tubing; (a) - (c) Flow through casing _____ = _____ psi (f)
Seven day average static meter pressure (from meter chart):
Normal chart average reading _____ psig + 12 = _____ psia (g)
Square root chart average reading (8.0) ² x sp. const. 5 _____ = 320 psia (g)
Corrected seven day avge. meter press. (p_f) (g) + (e) _____ = 320 psia (h)
P_t = (h) + (f) _____ = 320 psia (i)
Wellhead casing shut-in pressure (Dwt) 704 _____ psig + 12 = 716 psia (j)
Wellhead tubing shut-in pressure (Dwt) 704 _____ psig + 12 = 716 psia (k)
P_c = (j) or (k) whichever well flowed through _____ = 716 psia (l)
Flowing Temp. (Meter Run) 41 °F + 460 _____ = 501 °Abs (m)
P_d = 1/2 P_c = 1/2 (l) _____ = 358 psia (n)

FLOW RATE CALCULATION

Q = _____ X $\left(\frac{\sqrt{(c)}}{\sqrt{(d)}} \right) =$ _____ MCF/da
(integrated)

DELIVERABILITY CALCULATION

D = Q 50 $\left[\frac{P_c^2 - P_d^2}{P_c^2 - P_w^2} \right]^n =$ 48 MCF/da.
385,000 0.950

SUMMARY


P_c = 716 psia
Q = 50 Mcf/day
P_w = 320 psia
P_d = 358 psia
D = 48 Mcf/day

Company J. GLENN TURNER
By Michael J. Staker
Title Engineer
Witnessed by _____
Company _____

- * This is date of completion test.
- * Meter error correction factor

REMARKS OR FRICTION CALCULATIONS

GL	(1-s ⁻⁸)	(F _c Q) ²	(F _c Q) ² (1-s ⁻⁸) R ²	P _t ² (Column i)	P _t ² + R ²	P _w
			Friction negligible			



DATE	NAME	COMMISSION
	OFFICE	
	3	