


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **078092**
Unit **Fed. Dearthit "C"**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED
FEB 6 1961


Well No. **1** is located **990** ft. from **S** line and **990** ft. from **W** line of sec. **36**
SW/4 SW/4 Sec. 36 **27N** **11W** **NMPM**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
West Ruts Canyon **San Juan** **New Mexico**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6310** ft. **KB** est.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 12-1/4" hole to 225'. Rigged up and ran 7 joints 8-5/8" 24# J-55 Casing, total string 218.70, landed at 220.70'. Cemented with 150 sacks cement, 2 percent Calcium Chloride. Good returns to surface. Job completed 2-30 PM, 1-11-61.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The British-American Oil Producing Company**

Address **P. O. Drawer 130**

Farmington, New Mexico

By **Max R. Stone**

Title **Field Superintendent**