

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Carlsbad  
Lease No. 54 0300-1A  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<b>RECEIVED</b> <b>NOV 14 1960</b> <b>U. S. GEOLOGICAL SURVEY</b> <b>CARLSTON, NEW MEXICO</b>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>New well</u>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1001 / 47 is located 1650 ft. from N line and 1650 ft. from E line of sec. 35  
1650 ft. from S line and 1650 ft. from W line of sec. 35  
1650 ft. from N line and 1650 ft. from E line of sec. 35  
1650 ft. from S line and 1650 ft. from W line of sec. 35

Marco Mesa Verde Undesignated Deer Subdivision San Juan State New Mexico

The elevation of the derrick floor above sea level is 6225 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudged with rotary tools 9-15-60, drilled 260 ft. of 12 3/4" surface hole. Cemented 249 ft. x 9 5/8" x 369 surface casing with 150 sacks neat cement (circulated). Let cement set 24 hours and commenced drilling 8 3/4" hole with mud.


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company W. A. Drilling Company, Inc.

Address Box 327


Carlsbad, N. M.

By William C. Russell  
Title President





--	--	--



(SUBMIT IN TRIPLICATE)

 UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY

 Land Office \_\_\_\_\_  
 Lease No. 24 03603-1  
 Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	How Well

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 10, 1960

 Well No. 47 is located 1050 ft. from N line and 1650 ft. from E line of sec. 35

 NE 1/4 Sec. and Sec. No. 35 (Twp) (Range) (Meridian)

Blanco Mesa (Field) (County) (Division) San Juan, New Mexico

 The elevation of the derrick floor above sea level is 6225 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Well completed with rotary tools. All cement and tools drilled to 6624'. Dakota completed and bridge plug set at 4650'. Mesa Verde perforated 2 shots (joints) per foot 4527-4575 and 4590-4626. All perforations acidized with 200 gals of 15% acid and formation freed down casing with 1000 balls. Water and 20,000# sand (20-40) using two trucks. Break-down 2650#, injection 1800#, injection rate 35 BPM. 100 rubber balls dropped in stages of 20. Well cleaned to V.S. and Baker production packer set on 2 3/8" tubing at 4650'. Free water cleaned out and well shut-in for gauge.

SEE COMPANION FILE FOR THIS DATE AS TO DAKOTA SIDE OF DUAL

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

 Company Drilling Company, Inc.  
 Address Box 387  
Granger, N. M.  
 By William C. Russell  
 Title President

