

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT - " for such proposals

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. Lease Designation and Serial No. SF-079232
2. Name of Operator AMOCO PRODUCTION COMPANY		7. If Indian, Allottee or Tribe Name
3. Address and Telephone No. P.O. Box 800, Denver, Colorado 80201		8. Well Name and No. BOLACK C LS #7
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1840 FNL 918 FWL Sec. 33 T 27N R 8W		9. API Well No. 3004506143
		10. Field and Pool, or Exploratory Area BLANCO PICTURED CLIFFS SOUTH
		11. County or Parish, State SAN JUAN NEW MEXICO

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

RECEIVED  
OCT - 3 1994  
OIL CON. DIV.  
DIST. 3

RECEIVED  
BLM  
09 SEP - 8 AM 10:21  
070 EMERSONTON, NM

14. I hereby certify that the foregoing is true and correct

Signed Wayne Branam Title BUSINESS ANALYST Date 09 07 94

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_  
Conditions of approval, if any:

APPROVED  
AS AMENDED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\* See Instructions on Reverse Side

DISTRICT MANAGER

PXA Procedures  
Bolack C LS #7

1. Check location for anchors. Install if necessary. Test anchors.
  2. MIRUSU. Blow down well. Kill if necessary with fresh water. NDWH. NUBOP.
  3. POOH with 1 1/4" tbg and lay down. RIH with 2 3/8" tbg and cement retainer, set retainer at 2627. Test casing integrity to 500#. Squeeze perfs at 2677' to 2704' with 32.277 cuft cement. Pull out of retainer and spot cement plug to 1900'. (151.102 cuft cement)
  4. RIH with perf gun and shoot squeeze holes at 200' and circulate to surface. (101.04 cuft cement) Pull out and fill hole to surface with 40.08 cuft cement.
  5. NDBOP. Cut off casing and wellhead. Install PXA marker according to BLM or State requirements.
  6. Turn over to John Schwartz for reclamation.
  7. Rehabilitate location according to BLM or State requirements.
-

BOLACK C LS 007 1196  
Location - 33E-27N-8W  
SINGLE pc  
Orig. Completion - 10/56  
Last File Update - 1/89 by 8CB

7T 2435  
KL 2020

